JAMIA -BIOSCIENCE 4

Question Booklet No.....204531

BIOTECH

## **ENTRANCE EXAMINATION – 2019**

SET - B

ROLL NO.




Signature of Invigilator

TIME: 1 HOUR 45 MINUTES

Total Marks:100

## Instructions to Candidates

- 1. Do not write your name or put any other mark of identification anywhere in the OMR Response Sheet. IF ANY MARK OF IDENTIFICATIONS IS DISCOVERED ANYWHERE IN OMR RESPONSE SHEET, the OMR sheet will be cancelled, and will not be evaluated.
- 2. This Question Booklet contains the cover page and a total of 100 Multiple Choice Questions of 1 mark
- 3. Space for rough work has been provided at the beginning and end. Available space on each page may also be used for rough work.
- 4. There is negative marking in Multiple Choice Questions. For each wrong answer, 0.25 marks will be deducted.
- 5. USE/POSSESSION OF ELECTRONIC GADGETS LIKE MOBILE PHONE, iPhone, iPad, page ETC. is strictly **PROHIBITED**.
- 6. Candidate should check the serial order of questions at the beginning of the test. If any question is found missing in the serial order, it should be immediately brought to the notice of the Invigilator. No. pages should be torn out from this question booklet.
- 7. Answers must be marked in the OMR response sheet which is provided separately. OMR Response sheet must be handed over to the invigilator before you leave the seat.
- 8. The OMR response sheet should not be folded or wrinkled. The folded or wrinkled OMR/Response Sheet will not be evaluated.
- 9. Write your Roll Number in the appropriate space (above) and on the OMR Response Sheet. Any other details, if asked for, should be written only in the space provided.
- 10. There are four options to each question marked A, B, C and D. Select one of the most appropriate options and fill up the corresponding oval/circle in the OMR Response Sheet provided to you. The correct procedure for filling up the OMR Response Sheet is mentioned below.
- 11. Use Black or Blue Ball Pen only for filling the ovals/circles in OMR Response Sheet. Darken the selected oval/circle completely. If the correct answer is 'B', the corresponding oval/circle should be completely filled and darkened as shown below.



WRONG METHOD A O O O O O O O O O  $A\mathscr{O}O$ A

33, 192 and 365 kJ/mol respectively.  365 + 365  262 5  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  230 7  23
one of the correct option outside the membrane through F0 and P.
e produced during substrate based
or hind limb of human?
ms pertaining to biotechnology, except reat suffering to them.  f certain pharmaceutical proteins, they
cies into another species maintains the
or vice versa is great ethic threat for
ve bilobed nucleus and participate in
n homozygous condition?

The bond energies of H-H, Br-Br and HBr are 43 The  $\Delta H$  for the reaction  $H_2(g) + Br_2(g) \rightarrow 2HBr(g)$ Α. +26 kJ

B. -105 kJ C. -26 kJ

D. +105 kJ

In 'EcoRI', what does 'R' stand for? 9.

Bacterial strain A.

В. Restriction endonuclease enzyme

Replication site C.

D. Recombinant DNA

Read the following sentences carefully and select

X: FADH<sub>2</sub> transports only 3 pairs of protons of F1 complex and produce 3 molecules of ATI

RQ of tripalmitin is 1 Y:

Z: In glycolysis 2 molecules of ATP are phosphorylation

X is correct and Y and Z are incorrect A.

X and Y are correct and Z is incorrect

e. . All statements are correct

D. All statements are incorrect

11. Which of the following bone formula is correct for

2, 3, 3, 3, 3 Α.

1, 2, 8, 5, 14 B.

1, 1, 2, 7, 5, 14 C.

D. 7, 3, 2

Following statements are major bioethical concern 12.

Use of animals in biotechnology causes gr Α.

When animals are used for production of В. are treated as factory or machine.

Introduction of a transgene from one spe C. integrity of species.

Transfer of human genes into animals D. human.

Which of the following blood corpuscles have 13. allergic reaction?

Neutrophil A.

Monocyte В.

Acidophil C.

Basophil D.

Which of the following will be expressed only in

Phenyl ketonuria A.

Thalassemia B.

Yellow colour of pod C.

All of these D.

B-07/SET B

	A.	Lysozyme	
	В.	Ribozyme	
	e:	Ligase	
	D.	Deoxyribonucle	200
	D.	Deonymoonuon	ause .
	nt.	4- droma is a	
16.		tochrome is a	
	Α.	Flavoprotein	
	В.	Glycoprotein	West Linux of
	C.	Lipoprotein	
	D.		
		-	
17.	Th	neocess which makes	s major difference between C3 and C4 plants is
17.	, 111	Classical makes	major difference between C3 and C4 plants:
			· Piditis IS
	В.	Calvin cycle	
	C.	Photorespiration	
	D.	Respiration	그 그 이 이 이 경험이 되었다면 그 어느 아들이 모든 것이 그리지 않아요?
,			
18.	Whi	ch of the following bi	iomolecules is common to respiration-mediated breakdown of
	fats,	carbohydrates and pro	oteins?
_	A.	Glucose-6-phospi	hate
	B.	Fructose 1,6-bisp	hant-
	C.	Pyruvic acid	nospnate
	D. ·		
	D.	Acetyl CoA	
10 T			
19. 18	lylor (	conducted the experin	ments to prove semiconservative mode of chromosome
	replic	ation on	The state of the s
	A.	Vincarosea	
- ]	B.	Viciafaba	
(	C.	Drosophila melan	
	D.	E. coli	ogasier
£ (9)	•	E. Cott	
20 1171	i.L.	C.1. C.11	
40. WI	ucn o	the following rRNA	s acts as structural RNA as well as ribozyme in bacteria?
В	<b>3</b> .	18S rRNA	
C		23S rRNA	
D	),	5.8S rRNA	
21. D	urina	princ farmette .	
, ,	uring Teasis	urific formation, in	which part of nephron, maximum reabsorption of water
•	Ten b	acci	
Α.		DCT	
B.		PCT	
. C.		Glomerulus	
-D.	1.	Loop of Henle	
		zoop of Heme	
2. No	ımha-	of malatic that	
A.	MIDEL	of melotic divisions	required to produce 500 pollen grains is
4 4.		100	
В.		125	
C.		500	
D.		1000	
-07/cm	Y		
-07/SET	В		4
W. W.	. 77		
Transfer of the same			。

15. A non-proteinaceous enzyme is

23.	Which of	of the following activities center is not located in Swallowing	1 1 0
	A.	Swallowing Swallowing	medulla of human brain?
	В.	Vomiting	a jedina za
	C.	Space	
	D.	Sneezing	
	<i>D</i> .	Thirst	
2	CD1		
24.	The pro	cess that involves the use of a complementary R les from taking part in translation thereby	711
	molecul	les from taking part in translation thereby prevention	NA molecule to prevent mRN
	A.	ELISA ELISA	iting the expression of a gene
	В.	Spooling	· · · · · · · · · · · · · · · · · · ·
	C.	Elution	
	D.	Data	ATT CONTROL OF THE PARTY OF THE PARTY.
	<b>D</b> ,	RNA interference	
25.	· A1-		
23.	A male	bird with copulatory organ is	The second secon
		Suumocamelus	
	В.	Coraciousbengalensis	
	C.	Columba livia	67 8 AD at 67 19 19 19 19 19 19 19 19 19 19 19 19 19
	D.	Pavocristatus	이 일을 때 전하면 되었다. 그런 그렇게
	11	·	
26.	Which	of the following is not	· 15-11 11-14 2 图片 如意意
/	Α.	of the following is not seen in first triploblastic a Bilateral symmetry	nimals?
	-В.	Total dynamich v	A tel ding about the enterior
	C.	Ladder like nervous system	
	D.	Out with mouth and anus	
	<b>D.</b>	Moderate cephalization	
27.	Transia	tughi -a	
21.	A.	Carbony partial	
		Carboxy peptidase	
	B.	Rennin	
	C.	Enterokinase	
-	D.	Chymotrypsinogen	
	1	All and the second	
: 28,	For its	activity, carboxypeptidase requires	是一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的一个人的
/	A	Zinc	。 11年第1日第1日第1日第1日日
	B.	Iron	一种。其中2000年,1月1日
	C.	Niacin	TO BE STAND AND STAND
	D.	Copper	Survey of the state of the stat
		Copper	and the second
29.	How m	nany organisms in the list given below are autotro Nitrosomonas, Nitrobacter, Streptomyces, Sach	
	Chara	Nitrosomonas, Nitrobacter, Streptomyces, Sachara, Wolfia	ophs? Lactobacillus Norte
	Pornh	Wolfing Wolfing	gromyces Tryngman
. "	Α.	Four	J. J
	В.	Five	
	C.		A STATE OF THE STA
		Six	10. 15. 15. 15. 15. 15. 15. 15. 15. 15. 15
	D.	Three	2000年2月2日
20			
30.	Which	one of the following pairs is wrongly matched?	
		Chargo Mchegolila	1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年,1900年
	B.	Salvinia – Prothallus	<b>一个一个大大大型和国际的</b>
	C.	Viroids - RNA	
	D.	Mustard -Synergids	
		-,B.40	
D O	7/CET D		
D-0	7/SET B	5	
		리 보기도 보통 : (이왕 다른 이번 1일	11.11.11.11.11.11.11.11.11.11.11.11.11.

31.	which o	one of the following structures is an or	ganelle with:
	<b>A.</b>	Ribosome	smole within an organelle?
	В.	Peroxisome	
	Ŀ.	ER	
	D.	Mesosome	
32.	For its	action, nitrogenase requires	
7	Δ	Lich input of	The same of many spirits
	A. B.	High input of energy	
	<b>D.</b> .	Light Mn <sup>2+</sup>	
	C.		
	D.	Super oxygen radicals	
22	<b>a</b>	· Part of the section	
33.	Cuscute	a is an example of	
	<b>A.</b>	Ectoparasitism	
	В.	Brood parasitism	STEED TO STATE OF THE STATE OF
	C.	Predation	Const.
	D.	Endoparasitism	District Control of the Control of t
	,		alvil Enginters
34.	Which	one of the following pairs of chemical s Calcitonin and thymosin – Thyroid ho	
	A.	Calcitonin and thermasis.	substances, is correctly categories to
	В.	Calcitonin and thymosin – Thyroid ho	ormones
	C.	Pepsin and prolactin – Two digestive Troponin and myosin – Complex pro-	enzymes secreted in stomach
	D.	Troponin and myosin – Complex prod Secretin and rhodonsin – polymentide	eins in striated muscles
		Secretin and rhodopsin – polypeptide	hormones
35.	The do		CHECK TO THE STATE OF THE STATE
7,51	A.	omestic sewage in large cities	
	B	Has a high BOD as it containing both Is processed by aerobic and then appear	aerobic and anaerobic bacteria
	В.		aerobic and anaerobic bacteria robic bacteria in the secondary treatment
	C.	in Sewage Treatment Plants (STPs)	becomeny nearment
	C.	When treated in STPs does not really contains adequate oxygen	require the aeration step as the severe
	D.	contains adequate oxygen	the language of the Sewage
	D.	Has very high amounts of suspended	solids and dissolved salts
36.	Mome		
30.	name	the blood cells, whose reduction in num	ber can cause clotting disorder leading
			B disorder, loading
	. A.	Erythrocytes	
	B.	Leucocytes	
	C.	Neutrophils	
	D.	Thrombocytes	along and such that the late of the late of the
37.	DITA		
۵۱.	DNA-	dependent RNA polymerase catalyses tr	anscription on one strand of the DNA
	************	is caricu tile	
	A.	Template strand	
	В.	Coding strand	
	C.	Alpha strand	
	D.	Anti strand	있는 이번 있는 성연극하다가 맞춰

A STORY	A STATE OF THE PARTY OF THE PAR	A STATE	
150 Ame.	なっていている。		
38.	a diduloactive gunetance in 20 minutes. The time	(in minutes)	taken
31	between 40% decay and 85% decay of the same radioactive sul	ostance is	
	B. 30	2111	
,	C. 45		
	D. 60		
5) 35 to 39.	his eyes. In order to increase the maximum distance of distintype and power of the correcting lens, the person has to use, with A. Convex, +2.25 diopter	nct vision to i	00 cm from infinity, the
\	o shouve, -0.25 diopter	W 501	
No.	C. Concave, -0.2 diopter D. Convex, +0.15 diopter	# 1901	- n - 100
*	Convex, +0.13 diopter	华 探導	G
P: 12 234 234	A filament bulb (500 W,100 V) is to be used in a 230 V resistance-R is connected in series, it works perfectly and the The value of R in ohms is  A. 230  B. 26  C. 46  D. 13	/ main supple bulb consun	y. When a nes 500 W.
41	Potentiometer is an accurate and versatile device to make el	ectrical meas	urements of
0223	E.M.F, because the method involves:	4 10 10 10 10	really)
1 16	A. Cells		
323	B. Potential gradients		
61 52 5 61 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	C. A condition of no current flow through the galvanometer D. A combination of cells, galvanometer and resistances		
5)520 42	<ul> <li>The Magnetic Susceptibility is negative for</li> <li>A. Ferromagnetic material only</li> <li>B. Paramagnetic and Ferromagnetic materials</li> <li>C. Diamagnetic material only</li> <li>D. Paramagnetic material only</li> </ul>	e godoni i od leta do od posto do o od	ANTENNA TO
	D. I didinagnotio material only		

power required is

236.5 W

2365 W

2.365 W

23.65 W

Rolling Friction is smaller than Sliding Friction A. B.

Limiting value of static friction is directly proportional to normal reaction Frictional force opposes the relative motion

A Refrigerator works between 4°C and 30°C. It is required to remove 600 calories of heat every second in order to keep the temperature of refrigerated space constant, the

C.

Coefficient of sliding friction has dimensions of length

B-07/SET B

A.

B.

C.

D.

_							
45,	A cu	rrent of 2 A flows	through a 2 (			_	
$\sim$	same	rrent of 2 A flows	s unrough a 2 1	2 resistor wi	ien connec	cted across a	battery. The
	intern	battery supplies a nal resistance of the	e hattery is	A when co	onnected a	cross a 9 $\Omega$ 1	esistor. The
	Α.	0.5 Ω	c battery is	. ,2		17	
	B.	1/3 Ω		1,222	,		
	C.	1/4 Ω		12.20.	5		
	D.	1 Ω		Pr	29		
46.	An E	ngine pumps water	r through a hos	e nine Wate	r nacces th	rough a si	
	with a	velocity of 2m/s.	The mass per i	unit length of	f water in t	he pine is 100	ind leaves if
	is the	power of the engir	ne?		. water m	uc bibe is 100	kg/m. wnat
	A.	400 W					
1	B.	200 W					
	C	100 W					
	D.	800 W				an Edward M. S.	
<u></u>							
47.	A con	nmon emitter ampl	lifier has a volt	age gain of 5	0, an inpu	t impedance of	f 100 Ω and
	an ou	put impedance of	200 $\Omega$ . The Po	wer gain in th	he amplific	r is	
	A.	500			•		
C	В.	1000					
61	C.	1250		-		4.1.	
81	D.	50					
48.		Satellite moving	in an orbit a	round the ea	arth, the r	atio of kinetic	energy to
	poten	tial energy is	17			4	E + 1   F
	A.	1/2					
	B.	1/√2		2.00			1 1
	<b>C.</b> .	2				The state of	
	D.	√2			1		1-1-
49.	A Car	is moving toward	ds a high cliff	. The driver	sounds a	horn of frequ	ency f. The
	reflect	ed sound heard by	the driver has	s the frequer	ncy 2f. If	v is the veloci	ity of sound
	then th	e velocity of the c	ar, in the same	velocity uni	ts will be		1 45
	A.	v/√2					
	В.	v/3			h 2 3		
	C.	v/4					
	D.	v/2	1				esu ! !
-				-3 . 5-43		\$ 5 , 42 600	11 x 52 m
50.	The ear	rth is Flattened at	the poles and b	oulges at the	equator, T	his is due the	fact that
<b>J</b> 0.	A.	The earth revolu	ves around the	sun in an ell	intical ord	IL .	N -
	B.	The angular velo	ocity of spinni	ng about its	axis is mo	re at the equa	tor
		The centrifugal	force is more a	t the equator	r than at th	ne poles	
	C.	None of these	10100 15 111010	•	11/	the country	
	D.	None of these					
				er en en en gelino	CHIZINI L	and the second	ENTE .
51.		the wrong statem	ICIIL		7 3 1	100	
	Α.	For Isothermal p	process, $\Delta 1 - 0$		· Char	- 10 T	9
	B	For Isochoric pr	ocess, $\Delta V = 0$		are a series		
2	e.	For isobaric pro	cess, ΔP=0			1740	
	D.	For cyclic proce	ss, ∆W=0			WELL TO THE	A TANA

 $\frac{1}{5} = \frac{1}{5} = \frac{1}{18}$   $\frac{1}{5} = \frac{1}{15} = \frac{3+1}{15} = \frac{3+1}{15} = \frac{3+1}{15}$   $0 = \frac{15}{15} = \frac{3+1}{15} =$ 

- A Concave mirror has a focal length of 5cm, when an object is placed at a distance of 15cm from the mirror, where is the image formed?
  - 10 cm in front of the mirror A.
  - **∠B**. 7.5 cm behind the mirror
  - 2.5 cm in front of the mirror C.
  - 7.5 cm in front of the mirror D.
- pH of a saturated solution of Ba(OH)<sub>2</sub> is 12. The solubility product (Ksp) of Ba(OH)<sub>2</sub> is

  - B.  $5 \times 10^{-5}$
- e.  $5 \times 10^{-7}$
- $2 \times 10^{-4}$

- Oxidation number of oxygen in peroxide is

  - B. -1/2
  - C. -2
  - D. 0
  - A certain reaction is endothermic in nature and has a positive entropy change. This reaction is
    - A. Spontaneous at all temperatures
    - B. Non-spontaneous at all temperatures
    - C. Spontaneous at high temperatures, but not at low temperatures
    - D. Spontaneous at low temperatures, but not at high temperature
  - A compound XY is formed by element X which is highly electropositive and Y which is highly electronegative. What type of bond is present between XY?
    - A. Ionic bond
      - Covalent bond B.
      - Metallic bond C.
      - Co-ordinate bond
  - Number of NaCl molecules present in the per unit cell of rock-salt is
    - 4
    - 6 B.
    - 2 C.
    - D.
  - The molecular formula of cyclohexane is
    - $C_6H_{12}$

1

- B.  $C_6H_{14}$
- C.  $C_6H_{10}$
- D. C<sub>6</sub>H<sub>15</sub>



3 10 60 (31)

N = 60x1-1

16

- Suppose the elements X and Y combine to form two compounds XY<sub>2</sub> and X<sub>3</sub>Y<sub>2</sub>. When 0.1 mole of XY, weighs 10 g and 0.05 mole of X<sub>3</sub>Y<sub>2</sub> weighs 9 g, the atomic weights of X and Y are
  - A. 40, 30 -
  - B. 60, 40
  - C. 20, 30
  - D. 30, 20
- 60. The number of electrons delivered at the cathode during electrolysis by a current of 1 ampere in 60 seconds is (charge on electron = 1.60 x 10<sup>-19</sup> C)
  - A.  $6x \cdot 10^{23}$
  - B.  $6x \cdot 10^{20}$
  - C. 3.75 x  $10^{20}$
  - D.  $7.48 \times 10^{23}$

- 12 2 st N= 2 st N×1.6+161/2 17 60
- During the electrolysis of molten sodium chloride, the time required to produce 0.10mol of chlorine gas using a current of 3 amperes is
  - A. 55 minutes
  - B. 110 minutes
  - C. 220 minutes
  - D. 330 minutes
- 62. The suspension of slaked lime in water is known as
  - A. Limewater
  - B. Quicklime
  - C. Milk of lime
  - D. Aqueous solution of slaked lime
- 63. Bakelite is
  - A. Thermosetting polymer
  - B. Thermoplastic polymer
  - C. Elastomer
  - D. Fiber
- 64. The molarity of solution obtained by mixing 750ml of 0.5M HCl with 250ml of 2M HCl will be
  - A. 0.875 M
  - B. 1.0 M
  - C. 1.75 M
  - D. 0.975 M

- 42 10 8 784 0.4.
- Which of the following molecule will not be produced during fermentation?
  - A.  $H_2O$
  - B. CO<sub>2</sub>
  - C. Ethanol
  - D. Lactic acid

66.	An exam	nple of multiple ge	ene is				
	A. `	Human blood gro	up				
	В.	Human skin color	ur				
	C.	Phenyl ketonuria			*.:		
	D.	Albinism					
		Homism					
67.	How ma	any nullisomy are p	possible if an	organism	has 24 chro	mosomes in so	matic cell?
,	A.	24					
	B.	12					€
•	c.	6					
	D	3				4	
	D.	3					
40	C-144				11		
.68.		he odd one out w.r.		cation.			
	A.	Nostoc, Anabaen					
	. <b>В</b> .	Rhizobium, Azot	obacter	*. *			
	C.	Agrobacterium, F	Seudomonas				
	D.	Clostridium, Rhiz	zobium				
							- 771
69.	In skele	tal muscle, each ti	hick myofilar	nent is su	rrounded by	thin m	yofilaments
	while ea	ach thin myofilame	ent is surround	ded by	thick m	yofilaments.	
	A.	Two, four			11111		
	B.	Six, three					R Mora
	C.	Three, six					. 41
	D.	Four, two					
	D.	roui, two					
70	Free-ce	ntral placentation i	s found in				1
/	A.	Dianthus	o round m				
	B.						model at
		Argemone					
	C.	Brassica	NT .				
	D.	Cilrus					
'				1000			
71.		kind of therapy	-	1990 to	a four-yea	r-old girl with	adenosine
	deamin	ase (ADA) deficie	ncy?				
	A.	Gene therapy					11,21,24
	В	Chemotherapy				rain of	
	C. '	Immunotherapy					
	D.	Radiation therapy	, .			and Mark	
	υ.	Time	•				
72.	Which	of the following is	a sexually tra	nsmitted b	pacterial dis	ease?	
/	Α.	Syphilis	. 3				
	В.	Warts					140
	·c.	AIDS	7.1	100			teritoria e e
	Q.	Typhoid					
72	Dhyton	ankton → Snail →	Tuna → Do	lphin In th	e above for	d chain if 1 I	-6
73.	Phytopi	alikioli - 7 bliali 7	v consumer t	hen how	much cree	od Chain, II I J	of energy is
	ayanao	le to the secondar	y consumer t	ncii, now	much energ	gy was assimil	ated by the
	produce						
	A.	100 J					
	В.	10 J				· · · · · · · · · · · · · · · · · · ·	
	C.	1000 J	A STATE OF THE STA	" Park		1.1	47
	D.	0.1 J	2 / A / W	2 8 1 12	er r i i i i i i i i i i i i i i i i i i		1,1
		in the same			1.45		
				11			
$R_{-}07$	SET B			-11	,	7. 1.04	

	Enzymes which catalyse linking of C-O, C-S, C	-N. P-O etc bonds, belong to with
74./	Enzymes which catalyse linking of Co,	of which of
	the following category	
	A. Isomerase	
	B. Ligases	10 Table 10
-	C Lyases	•
	D. Transferases	
	2.	
75/	In genetic finger printing, the probe refers to	DNIA molecule
75.	In genetic finger printing, the procedure to the A. A radioactively labelled single stranded	RNA molecule
		DIVA IIIOIECUIE
	labelled double stranged	I KNA IIIOIECUIE
	C. A radioactively labelled double stranded	DNA molecule
•	. —	
76.	In crop improvement programmes, virus free clor	nes can be obtained through
70.	K. Hybridization	
	B. Embryo culture	
		a di santa d
	• •	
	D. Shoot tip culture	
22	Pyruvate dehydrogenase complex, needed for the	e conversion of pyruvic acid to acetyl-
77.	CoA is located in	1,2
	C '4 .1 J'-	
		V 18 . D0 10 4 V
		CANAL
	C. Cytoplasm	
	D. Grana of chloroplast	
70	During name impulse conduction hypernolariset	ion occurs due to
78.		ion occurs due to
	A. Influx of Ca <sup>++</sup> and efflux of Na <sup>+</sup>	1. 11.28723
	B. Influx of Na <sup>+</sup>	57.418
	C. Efflux of K <sup>+</sup>	
	D. Efflux of Na <sup>+</sup>	AND LONG A CONTRACTOR OF THE PARTY OF THE PA
70	Which of the fill-size for the income of	Change in
79.	<b>5</b>	e enzymatic activity? A. Change in
	temperature B. Change in pH C. Change in s	substrate concentration D. Binding of
•	specific chemical to enzyme	
	A. A, B, C, D	
	B. A, B, D	
	C. A, B is an analogical accommodity	mass or district of the billion
	D. B, C, D	
80.	During cell grouth DNA	
, , , , ,	During cell growth, DNA synthesis takes place in A. S phase	
	B. G1 phase	
	C. G, phase	
	D. M phase	
81.	The solution of the second sec	요. 이번, 발로보다는 이번 생활한다다.
	A. All mammals are viviparous.	일요 집에 가는 그 개통에 걸어 봤다고요
	B. All cyclostomes do not necessaria	그는 그렇게 함께 감독생으라 걸렸다.
	B. All cyclostomes do not possess jaws an All reptiles have a three-chambered hea	d paired fins.
^ , <u>.</u>	D. All Pisces have gills covered by an open	rculum
B-0'	07/SET B.	
	<b>12</b>	영영 회사는 경우를 하지 않아 있다.
		뭐면 없다면 하나라 내내 개가를 살았다.

04.	Which	One of the following remarks
	Α.	one of the following represents a palindromic sequence in DNA?  5' - GAATTC - 3'
		3' - CTTAAG - 5'
	В.	5' - CCA ATTO
		5' - CCAATG - 3'
	C.	3' - CAATCC - 5'
	C.	5' - CATTAG - 3'
	<b>D</b> .	3' - GATAAC - 5'
	D.	5' - GATACC - 3'
		3' - CCTAAG - 5'
83.	Which	of the following is the correct matching of a vitamin, its nature and its ncy disease?
	deficie	ncy disease?
	Α.	Vitamin K - Fat Soluble - Beri-Beri
	B.	Vitamin A – Fat Soluble – Night Blindness
	C. ·	Vitamin A – Fat Soluble – Beri-Beri
	D	Vitamin K – Water Soluble – Pellagra
		water Soluble - Pellagra
84.	The F	following ratio is generally and the
	А.	Collowing ratio is generally constant for a given species:  A + G / C + T
		T+C/G+A
	C.	G+C/A+T
	D.	A+C/T+G
	<b>D</b> ,	A+C/1+G
85.	Antho	
05.	Anthe	esis is a phenomenon which refers to
	A.	Reception of Pollen by stigma
	·B.	Formation of Pollen
	C.	Development of Anther
	<b>D.</b>	Opening of Flower Bud
86.	in this	g fork is used to produce resonance in a glass tube, the length of the air column tube can be adjusted by a variable piston. At room temperature of 27°C two ive resonances are produced at 20cm and 73cm of column length. If the cy of the tuning fork is 320Hz, the velocity of sound in air at 27°C is 330 ms <sup>-1</sup> 339 ms <sup>-1</sup> 350 ms <sup>-1</sup>
87.	For a Ranuclei, t	adioactive material half-life is 10 minutes. If initially there are 600 number of the time taken in minutes for the disintegration of 450 nuclei is
	A.	
	В.	
	C.	17.5
	D.	15
88.	If the M times lan A. B. C. D.	ass of the sun were 10 times smaller and the universal Gravitational constant 10 rger in magnitude, which of the following is not correct?  Raindrops will fall faster  Walking on the ground will become more difficult  Time period of the simple pendulum on the earth would decrease g on the earth will not change
		그 최근 하는데 [[] 그는 그 말았다. 하시면 하시면 하시면 사고를 하고 있었다면서
B-07/	SET B	
		그는 그는 그들은 사용하면서 가지는 요즘에 대통하다면 그래는 하는 점심 이번 수는 그를 모으면 하면 하는 것이다. 회사를 통하다

							*	
99.	The heigh	ht at which	the weight	of a body b	ecomes 1/	6th of its	• •	
	earth (ra	dius R) is			17	of its We	eight on the s	urface of
	ош ш (ги А.	5 R						THE OI
	В.	15 R						
			*:					
	C	3 R						
•	Ð. '	4 R				4 - 1,5 12		
00	XX7b.o 1	V- of in-	+ 00C alta	ha ramitin	~ aha			
90.	when I	Ng of ice a	t 0°C melts,	me resulting	g change in	n its entropy	be, taking la	tent heat
•								Total
	Α.	273 cal/K	_					
	В.	8x104cal/K						
•	C.	80 cal/K.						
	D.	293 cal/K						
91.	A hovem	14!1:		b 007				3
91.	A boy II	iumphes a	certain numb	er by 987	and obtain	s 559981 as	his answer.	If in the
	answera	in the 9's ar	e wrong but	tne otner di	gits are co	rrect, then th	e correct ans	wer is
	Α.	223081						
	B.	555181	mail of take			a egile tin		T FM
		555681						
J	D.	556581						2
00	461 . 46	52 , 463 , 46	4			1		
92.			<sup>4</sup> is divisible	by		£) + T	in the state of	
	Α.	3						
	B.	10		- of an	aich doidse	Medicardina	म इं से बेट हैं।	
	C. D.	11			Salaria H			
×.1	<b>D.</b>	13			140	ARTER ST.	THEFT	
93.	The sum	of two num	bers is 2000	and their I	CM is 218	70 The non	200	halo.
	A.	1993,7	10015 15 2000	and then L	CIVI 15 21 0	79. The nos.	are	
	B	1991,9	95 July 19	Comment American				100
	C.	1989,11			and the dist		al elim	ar in the second
	D.	1987,13			latin house			
area	<b>.</b>	1707,13	The second second	Fry Long San	RATION OF	80 6 pm 14.1		
94.	A man r	olants 1537	6 apple trees	in his gard	den and ar	ranges them	so that there	e are as
1	many ro	ws as there	are apple tree	s in each ro	w. The nu	mber of row	s are	
	Á.	124	T.F.			٠ (،		
	В.	126				126	40 PM	
	C.	134				12		
	D." .m: 13	144	greens it	SHETTING 173	A 17 100	720		
		1.00	Miles in the	ending eit:		25,	1345) - A	
95. 1	When a	hall hounce	s it rises to $\frac{3}{4}$	of the heigh	he from mi	ich is fall. I	f the hall is o	iropped
$\mathcal{I}$	From 22 .	m havehial	h :4:11	or the neigh	iii iioiii wi	ilon ibiotic i	I tilo cuit 15	
,	roiji 32 i	in, now mgi	h it will rise a	it the third b	ounce?		1 1 1	
	Α.	13 m			49		4.3	
	В.	$13\frac{1}{2}$ m	3 / 1 / 2 / 2 / 2	a a de la final	al Company	4	24. BLV	
(	C.	$14\frac{1}{2}$ m		STATE OF STATE OF A		\'	+ molecular	
	D,	None of the	1ece (		or as althi	17	6	
	٠,	THORE OF II	1 9	5030 march	Tylings Sinti Sun	×9	<b>9</b>	
		1 2 4	2.2	The management		100 to	0	
		K 2 W			Caragodi (* 11	27	/6	C. S. C.
	Jay Jak		7,5		-S. 103-13, 5, 9	12	68	
B-07/S	ET B	h 2		14		1	5	
	S. D. Janes		3	7.60				
		12				in the		
	· Mac.					/		

1 - 21 3 - 130 =

- A tank is  $\frac{2}{5}$  full. When 16 litres of water is added to it, it becomes  $\frac{6}{7}$  full. The capacity of the tank is
  - A. 28 litres
  - B. 32 litres
  - C. 35 litres
  - D. 42 litres
- What is the smallest number by which 3500 should be divided to make it a perfect cube?
  - A.
  - B. 50
  - C. 300
  - D. 450
- 98.) The average age of students of a class is 15.8 years. The average age of boys in the class is 16.4 years and the average age of girls is 15.4. The ratio of number of boys to the number of girls in the class is :
  - A. 1:2
  - B. 2:3
  - C. 3:4
  - D. 3:5
  - A reduction of 21% in the price of wheat enables a person to buy 10.5 kg more for 99. Rs.100. What is the reduced price per kg?
    - Rs. 2 A.
    - В. Rs. 2.25
    - C. Rs. 2.30
    - Rs. 2.50 D.
- 100. 12 men working 8 hours a day complete a piece of work in 10 days. To complete the same work in 8 days working 15 hours a day, the number men required is
  - A.
  - 5 B.
  - C.

2 + 6 2 1#30 35 D.

B-07/SET B