Science?

Set No.: 1

Question Booklet No.

RET/17/TEST-B

886 Computer Science

				000	00111	puter be	renec
	(To be fil	led up by th	he candidat	e by blue/bl	ack ball p	oint pen)	
Roll No.]
Roll No. (W	rite the d	igits in wor	rds)]
Serial No. o	of OMR A	nswer She	et				
Day and Da	ite			******************			
						(Signature	of Invigilator)

INSTRUCTIONS TO CANDIDATES

(Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)

- Within 30 minutes of the issue of the Question Booklet, Please ensure that you have got the correct booklet and it contains all the pages in correct sequence and no page/question is missing. In case of faulty Question Booklet, Bring it to the notice of the Superintendent/Invigilators immediately to obtain a fesh Question Booklet.
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above.
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- 6. No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and Roll No. and OMR sheet no. on the Question Booklet.
- Any change in the aforesaid entries is to be verified by the invigilator, otherwise it will be taken as unfair means.
- 8. This Booklet contains 40 multiple choice questions followed by 10 short answer questions. For each MCQ, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by pen as mentioned in the guidelines given on the first page of the Answer Sheet. For answering any five short Answer Questions use five Blank pages attached at the end of this Question Booklet.
- For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero marks).
- 11. For rough work, use the inner back pages of the title cover and the blank page at the end of this Booklet
- 12. Deposit both OMR Answer Sheet and Question Booklet at the end of the Test.
- 13. You are not permitted to leave the Examination Hall until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

Total No. of Printed Pages: 24

ROUGH WORK रफ़ कार्य



Research Entrance Test-2017

No. of Questions: 50

प्रश्नों की संख्या : 50

Time: 2 Hours

Full Marks: 200

समय : 2 घण्टे

पूर्णाङ्क : 200

Note: (1) This Question Booklet contains 40 Multiple Choice Questions followed by 10 Short Answer Questions.

इस प्रश्न पुस्तिका में 40 वस्तुनिष्ठ व 10 लघु उत्तरीय प्रश्न हैं।

- (Three) marks. 1 (One) mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question. If more than one alternative answers of MCQs seem to be approximate to the correct answer, choose the closest one. अधिकाधिक वस्तुनिष्ट प्रश्नों को हल करने का प्रयत्न करें। प्रत्येक वस्तुनिष्ट प्रश्नों को हल करने का प्रयत्न करें। प्रत्येक वस्तुनिष्ट प्रश्न 3 (तीन) अंकों का है। प्रत्येक गलत उत्तर के लिए 1 (एक) अंक काटा जायेगा। प्रत्येक अनुत्तरित प्रश्न का प्राप्तांक शून्य होगा। यदि वस्तुनिष्ट प्रश्नों के एकाधिक वैकल्पिक उत्तर सही उत्तर के निकट प्रतीत हों, तो निकटतम सही उत्तर दें।
 - (3) Answer only 5 Short Answer Questions. Each question carries 16 (Sixteen) marks and should be answered in 150-200 words. Blank 5 (Five) pages attached with this booklet shall only be used for the purpose. Answer each question on separate page, after writing Question No.

केवल 5 (पाँच) लघुउत्तरीय प्रश्नों के उत्तर दें। प्रत्येक प्रश्न 16 (सोलह) अंकों का है तथा उनका उत्तर 150-200 शब्दों के बीच होना चाहिए। इसके लिए इस पुस्तिका में लगे हुए सादे 5 (पाँच) पृष्टों का ही उपयोग आवश्यक है। प्रत्येक प्रश्न का उत्तर एक नए पृष्ट से, प्रश्न संख्या लिखकर शुरू करें।

886/Computer Science

01.	Воо	klungs are found in :		
	(1)	Amoeba	(2)	Polystomella
	(3)	Euglypha	(-1)	Arachnids
02.	Silk	is obtained from :		
	(1)	Adult moth	(2)	Caterpillar stage
	(3)	Egg	(4)	Cocoon
03.	Neu	arogenic heart is found in :		
	(1)	Human beings	(2)	Rat
	(3)	Rabbit	(4)	Invertebrates
04.	Epi	physis is also known as :		
	(1)	Pineal	(2)	Pituitary
	(3)	Thyroid	(4)	Hypothalamus
05.	Sim	plest and smallest form of ar	nino a	cid is :
	(1)	Glycine	(2)	Proline
	(3)	Lysine	(4)	Argenine
06.	PC(OS is related to :		
	11.	Ovary	(2)	Uterus
	(3)	Testes	(4)	Oviduct
07.	Sen	ninogelin is secreted by :		
	(1)	Epididymis	(2)	Seminal Vesicle
	(3)	Thecal cells	(4)	Oviduct
08.	Firs	st cleavage in frog is:		
	(1)	Horizontal	(2)	Meridional
	(3)	Equatorial	(4)	Latitudinal

00	Whi	sh of the following is puclear	recen	tor 2
UJ.	(1)	ch of the following is nuclear AR	(2)	
	(3)	IR		MT1
	30000			
10.	Cryp	otorchidism is related to:		
	(1)	Testes	(2)	Thyroid
	(3)	Ovary	(4)	Pancreas
11.	Con	sider the following C program	;	
		fine int char		
	mai	n ()		
	{			
	int i	=65;		
	prin	tf (" sizeo f (i) = $\%$ d", sizeof(i));	
	}			
	The	output of the program will be	::	
	(1)	sizeof=1	(2)	sizeof(1)
	(3)	sizeof (i)=1	(4)	1
12.	Con	sider the following c program	:	
	{	0		
		i=10;		
		>14;		
		nt f("i=%d",i);		
	}			
	The	output of the progrm will be	:	
	(1)	14	(2)	10
	(3)	1	(4)	0

13.	nui	AM chip has capacity nber of 2×4 decoders C×16 RAM from 1K×8	with enabl	rds of 8 bits each (1K×8). The e line needed to construct a
	(1)	-4	(2)	5
	(3)	6	(4)	
14.	cith	instructions which cop er in the processor's in nory are called :	oy information nternal regis	on from one location to another ter set or in the external main
	111	Data transfer instruct	tions.	
	(2)	Program control instr	uctions.	\$
	13)	Input-output instruct	ions.	
	(4)	Logical instructions.		
15.	i. Thii. B	wrong statements/s re following is/are ne sub-routine and inte oth of them alter the c Both are software orien Both can be initiated by	errupts have ontent of the ted	
	(1)	i,ii and iv	(2)	ii and iii
	131	jv	(4)	iii and iv
16.	Whe	en simplified with Boo olifies to	lean Algebr	a, the expression $(x+y)$ $(x+z)$
	(1)	X	(2)	x+x(y+z)
	(3)	x(1+yz)	(4)	x+yz
17.		many 1's are pres 12+7×64+5×8+3	ent in the	binary representation of
	(1)	8	(2)	9
	(3)	10	(4)	11
			10.000	

- 18. The output of D-flip flop:
 - (1) Same as input.

- (2) complement of input.
- (3) not depend on input.
- (4) depend on past input and clock.
- 19. Which of the following services use TCP?
 - (1) sftp

(2) smtp

(3) http

- (4) all of the above
- 20. Given memory partition of 100K, 500K, 200K, 300K, and 600K (in order) and processes of 212K, 417K, 70K, and 96K (in order); using the first-fit partition algorighm, in which partition would be the process requiring 96K be placed:
 - (1) 500K

(2) 300K

(3) 200K

- (4) 600K
- 21. Consider the following segment of C program

```
man()
{
    int i, j;
    j=0;
    for (i=0; i<=5, i=i+2/3)
    {
        j=j+1;
    }
```

The number of times the body of for loop is executed:

(1) 9

(2) 8

(3) infinite

(4) 11

- 22. Among the following which one is the worst case recurrence relation and worst case time complexity of Quick Sort:
 - Properties Recurrence is T (n) = T(n-2) +O(n) and time complexity is $O(n^2)$
 - (2) Recurrence is T(n) = T(n-1) + O(n) and time complexity is $O(n^2)$
 - (3) Recurrence is T(n) = 2T(n/2) + O(n) and time complexity is $O(n \log n)$
 - Recurrence is T(n) =T(n/10) +T (9n/10) +O(n) and time complexity is O(n log n)
- 23. The preorder traversal of a binary tree is DEBFCA. The root node of binary tree is:
 - (1) B

(2) C

(3) A

- (4) D
- 24. Chromatic number of bipartite graph is :
 - -1. 4

(2) 2

(3) 3

- (4) 1
- 25. Let T (n) be the function defined by T(0)=1 and T(n)=T(n-1)+n,n>=1. which of the following is true:
 - (1) $T(n)=O(n^2)$

(2) $T(n) = O(\sqrt{n})$

(3) $T(n)=O(\log_2 n)$

 $(4) \quad T(n) = O(n)$

26. In AVL tree, difference between height of left and right subtrees is :

(1) less than 1

- (2) equal to 1
- less than equal to 1 (3)
- (4) greater than equal to 1.

27. A and B are two logical statements. Statement B is logical equivalent to statement A iff:

- (1) $(A \rightarrow B) \land (B \rightarrow A)$ is tautology.
- (2) $(A \rightarrow B) \mid | (B \rightarrow A)$ is tautology.
- (3) A → B is contradiction.
- (4) A → B is tautology.

28. Predicate expression $(\exists x)$ $(A(x) \rightarrow B(x))$ is equivalent to :

- (1) $(\exists x) A(x) \rightarrow (\forall x) B(x)$ (2) $(\forall x) A(x) \rightarrow (\exists x) B(x)$
- (3) $(\exists x) A(x) \rightarrow (\exists x) B(x)$ (4) $(\forall x) A(x) \rightarrow (\forall x) B(x)$

29. For LR(0) automaton, consider the following augmented grammar. $E \rightarrow E$

$$E \rightarrow E+T|T$$

$$T \rightarrow T \rightarrow T^*F|F$$

$$F \rightarrow (E) id$$

If I is the set of two items $\{E \to T, T \to T *F\}$, then GOTO (I, *) contains the items:

- (1) $T \rightarrow T^*$. F, $F \rightarrow (E)$, $F \rightarrow .id$ (2) $T \rightarrow T^*$. F, $F \rightarrow (.E)$, $F \rightarrow .id$
- (3) $T \rightarrow T^*.F., F \rightarrow (E)., F \rightarrow .id$ (4) $T \rightarrow T^*F., F \rightarrow (E)., F \rightarrow .id$

30.	Gra	mmar corresponding producti	on ru	ales $\{S \rightarrow CC, C \rightarrow aC, C \rightarrow d\}$ is:		
	(1)	LL(1)	(2)	SLR (1) but not LL (1)		
	(3)	LALR (1) but not SLR (1)	(4)	LR (1) but not LALR (1)		
31.	A b	ottom-up parser generates :				
	(1)	Leftmost derivation	(2)	Right most derivation		
	(3)	Leftmost derivation in revers	e (4)	Rightmost derivation in		
			reve	erse		
32.	S→	aB‡bA, A→a as bAA,B→b bs	aBB	, generates strings of terminal		
	that	have:				
	(!) odd number of a's and b's					
	(2) even number of a's and b's					
	(3) equal number of a's and b's					
	(4)	not equal number of a's and	b's			
33.	Post	fix expression equivalent of in	fix ex	expression (A-B) * (D/E) is :		
	(1)	ABDE*/-	(2)	ABDE-/*		
	(3)	AB-DE/*	(4)	None of these		

- 34. An operating system implements a policy that requires a process to release all resources before making a request for another resources.
 Select the TRUE statement from the following:
 - (1) Both starvation and deadlock can occur
 - (2) Starvation can occur but deadlock cannot occur
 - (3) Starvation cannot occur but deadlock can occur
 - (4) Neither starvation nor deadlock can occur
- 35. Consider three processes (process id 0, 1,2 respectively) with compute time bursts 2,4 and 8 time units. All processes arrive at time zero. Consider the longest remaining time first (LRTF) scheduling algorithm. In LRTF ties are broken by giving priority to the process with the lowest process id. The average turnaround time is:
 - (1) 13 units

(2) 14units

(3) 15units

- (4) 16units
- 36. Page fault occurs when :
 - (1) When a requested page is in memory
 - (2) When a requested page is not in memory
 - (3) When a page is corrupted
 - (4) When an exception is thrown

37.		ationships among relatio ng :	nships can	be represented in an E-R model
	(1)	aggregation	(2)	association
	(3)	weak entity sets	(4)	weak relationship sets
38.	Wh	ich one of the following s	tatements a	about normal forms is FALSE ?
	(1)	BCNF is stricter than 3	BNF	
	(2)	Lossless, dependency- always possible	preserving	decomposition into 3NF is
	(3)	Lossless, dependency- always possible	preserving	decomposition into BCNF is
	(4)	Any relation with two	attributes is	s in BCNF
39.	valu E2, not	ied attributes. R1 and I where R1 is one-to-mar have any attributes of	R2 are two ny and R2 is their own	R diagram with simple single- relationships between E1 and s many-to-many. R1and R2 do . Minimum number of tables the relational model is:
	(1)	2	(2)	5
	(3)	4	(4)	3
40.	A si	ngle packet on a data li	nk layer is l	known as :
	(1)	Path	(2)	Frame
		Block	(4)	Group

Short Answer Questions

- Note: Attempt any five questions. Write answer in 150-200 words. Each question carries 16 marks. Answer each question on separate page, after writing Question Number.
- O1. Give data structure in which linear list is implemented using random access. Using this representation/ data structure write an algorithm for inserting and deleting an element form the list.
- **02.** Suppose the following list of letters is inserted in order into an empty binary search tree:

- i. Find the final binary tree.
- ii. Give sequential representation of the tree in (i).
- iii. Find the inorder, preorder, and postorder traversal of binary tree.
- iv. Consider the binary tree (i), give tree after the node M and D is deleted.
- **03.** (a) i. How structure differ from array?
 - ii. How structure, union, and bit filed differ from each other.
 - (b). Define a structure called *cricket* that will describe the information player name, team name, batting average. Using structure cricket, declare an array player with 5 elements.

(c). In what ways does a switch statement is differ from if statement. Write a C program for marks range to grade conversion using switch and case, for following data:

Marks Range	Grade
< 40	E
40 - 54	D
55 - 69	С
70 - 85	В
> 85	Α

04. Construct LR (1) parsing table for the given grammar:

S-→CC,

 $C \rightarrow aC$

 $C \rightarrow d$

05. Define deterministic and nondeterministic finite automaton (DFA and NDFA). Consider the finite state machine, $M=(Q, \Sigma, \delta, q_0, F)$, where $Q=\{q_0,q_1,q_2,q_3\}$, $\Sigma=\{0,1\}$, $F=\{q_0\}$, and transition function δ is given in following table:

Input

State	O	1
\mathbf{q}_{o}	q_2	q_i
\mathbf{q}_1	\mathbf{q}_3	\mathbf{q}_{o}
\mathbf{q}_2	\mathbf{q}_{o}	\mathbf{q}_3
q_z	q_1	q,

Give the entire sequence of states for the input string 110001.

- O6. Consider a main memory with five page frames and the followin sequence of page references: 3,8,2,3,9,1,6,3,8,9,3,6,2,1,3. Calculat the number of page faults by using page replacement policies (i) First in-First Out (FIFO) and (ii) Least Recently Used (LRU).
- 07. Represent following facts using proposition. And find what rules o inference is used in each of these argument:
 - Alice is mathematics major. Therefore, Alice is either mathematics major or a computer science major.
 - (ii) Jerry is mathematics major and a computer science major.Therefore, Jerry is mathematics major.
 - (iii) If, I go swimming, then, I will stay in the sun too long. If, I stay ir the sun too long, then I will sun burn. Therefore, if I go swimming then I will sun burn.
- O8. Explain the concept of primary key, and normalization in the context of relational database system.
- **09.** Describe major phases of waterfall model of software development? Which phase consumes maximum effort?
- 10. Explain how TCP is a reliable protocol when it works on top of IF which is unreliable.

Question No.	Qu	es	ti	on	No.
--------------	----	----	----	----	-----

ROUGH WORK एफ कार्य

अभ्यर्थियों के लिए निर्देश

(इस पुस्तिका के प्रथम आवरण पृष्ठ पर तथा उत्तर-पत्र के दोनों पृष्ठों पर केवल नीली-काली बाल-प्वाइंट पेन से ही लिखें)

- प्रश्न पुस्तिका मिलने के 30 मिनट के अन्दर ही देख ले कि प्रश्नपत्र में सभी पृष्ठ मौजूद हैं और के प्रश्न छूटा नहीं हैं। पुस्तिका दोषयुक्त पाये जाने पर इसकी सूचना तत्काल कक्ष-निरीक्षक को देकर सम्पृ प्रश्नपत्र की दूसरी पुस्तिका प्राप्त कर लें।
- परीक्षा भवन में लिफाफा रहित प्रवेश-पत्र के अतिरिक्त, लिखा या सादा कोई भी खुला कागज सा में न लायें।
- उत्तर-पत्र अलग से दिया गया है। इसे न तो मोड़ें और न ही विकृत करें। दूसरा उत्तर-पत्र नहीं दिया जायेग केवल उत्तर-पत्र का ही मूल्यांकन किया जायेगा।
- अपना अनुक्रमांक तथा उत्तर-पत्र का क्रमांक प्रथम आवरण-पृष्ठ पर पेन से निर्धारित स्थान पर लिस्
- 5. उत्तर-पत्र के प्रथम पृष्ठ पर पेन से अपना अनुक्रमांक निर्धारित स्थान पर लिखें तथा नीचे दिये यूनों र गाढ़ा कर दें। जहाँ-जहाँ आवश्यक हो वहाँ प्रश्न-पुस्तिका का क्रमांक तथा सेट का नम्बर उचित स्था पर लिखें।
- ७. ओ० एम० आर० पत्र पर अनुक्रमांक संख्या, प्रश्नपुस्तिका संख्या व सेट संख्या (यदि कोई हो) त प्रश्नपुस्तिका पर अनुक्रमांक और ओ० एम० आर० पत्र संख्या की प्रविष्टियों में उपरिलेखन की अनुम नहीं है।
- उपर्युक्त प्रविष्टियों में कोई भी परिवर्तन कक्ष निरीक्षक द्वारा प्रमाणित होना चाहिये अन्यथा यह एक अनुि साधन का प्रयोग माना जायेगा।
- 8. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार वैकल्पिक उत्तर दिये गये हैं। प्रत्येक प्रश्न के वैकल्पिक उत्तर के ि आपको उत्तर-पत्र की सम्बन्धित पंक्ति के सामने दिये गये वृत्त को उत्तर-पत्र के प्रथम पृष्ठ पर दिये ग निर्देशों के अनुसार पेन से गाढ़ा करना है।
- प्रत्येक प्रश्न के उत्तर के लिए केवल एक ही वृत्त को गाढ़ा करें। एक से अधिक वृत्तों को गाड़ा कर पर अथवा एक वृत्त को अपूर्ण भरने पर वह उत्तर गलत माना जायेगा।
- 10. ध्यान दें कि एक बार स्याही द्वारा अंकित उत्तर बदला नहीं जा सकता है। यदि आप किसी प्रश्न का उ नहीं देना चाहते हैं, तो संबंधित पंक्ति के सामने दिये गये सभी वृत्तों को खाली छोड़ दें। ऐसे प्रश्नों पर शू अंक दिये जायेंगे।
- रफ कार्य के लिए प्रश्न-पुस्तिका के मुखपृष्ठ के अंदर वाला पृष्ठ तथा उत्तर-पुस्तिका के अंतिम पृ का प्रयोग करे।
- परीक्षा के उपरान्त केवल ओ एम आर उत्तर-पत्र परीक्षा भवन में जमा कर दें।
- परीक्षा समाप्त होने से पहले परीक्षा भवन से बाहर जाने की अनुमित नहीं होगी।
- 14. विद कोई अभ्यर्थी परीक्षा में अनुचित साधनों का प्रयोग करता है, तो वह विश्वविद्यालय द्वारा निर्धारि दंड का की, भागी होगा/होगी।