Day and Date:	INSTRUCTION	(Signature of I	nvivilator \
Serial No. of OMR	16.	******************************	
		***************************************	******
Roll No. (Write the digits in v	vords)		
Roll No.		T T T	9
	(To be filled up by the c	Question Booklet andidate by blue/black ball-point per	No

INSTRUCTIONS TO CANDIDATES

(Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)

- 1. Within 30 minutes of the Issue of the Question Booklet, check the Question Booklet to ensure that it contains all the pages in correct sequence and that no page/question is missing. In case of faulty Question Booklet bring it to the notice of the Superintendent/Invigilators immediately to obtain a fresh
- 2. Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card
- 3. A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided. Only the Answer Sheet will be evaluated.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- 6. No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and also Roll No. and OMR sheet No. on the Question Booklet.
- 7. Any change in the aforesaid entries is to be verified by the invigilator, otherwise it will be
- 8. Each question in this Booklet is followed by four alternative enswers: For each question, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by ball-point pen as mentioned in the guidelines given on the first page of the Answer Chest
- 9. For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once fitted in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero mark).
- 11. For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit only the OMR Answer Sheet at the end of the Test.
- 13. You are not permitted to leave the Examination test until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as

उपर्युक्त निर्देश हिन्दी में अन्तिम आवश्ण-पृष्ठ भर पदम नक्

Total No. of Printed Pages: 34

ROUGH WORK रफ़ कार्य

No. of Questions/प्रश्नों की संख्या : 120

Time : 2 Hours] समय : 2 घण्टे।

[Full Marks: 360

[पूर्णांक : 360

Note: (i) Attempt as many questions as you can. Each question carries 3 (Three) marks. One mark will be deducted for each incorrect answer.

Zero mark will be awarded for each unattempted question.

अधिकाधिक प्रश्नों को हल करने का प्रयत्न करें। प्रत्येक प्रश्न 3 (तीन) अंक का है।

प्रत्येक गलत उत्तर के लिए एक अंक काटा जायेगा। प्रत्येक अनुत्तरित प्रश्न का प्राप्तांक शून्य होगा।

- (ii) If more than one alternative answers seem to be approximate to the correct answer, choose the closest one.
 यदि एकाधिक वैकल्पिक उत्तर सही उत्तर के निकट प्रतीत हो, तो निकटतम सही उत्तर दें।
- The A model regards lattice energy as determining stabilization-factor of chemical bonding in crystalline solid state. Here A is:
 - (1) Molecular orbital
 - (2) Valence bond
 - (3) Ionic
 - (4) Covalent
- Using VSEPR theory, the molecular shapes of the XeF₄, XeO₄, XeF₂ and XeOF₂ respectively are:
 - (1) Tetrahedral, Square planar, Angular, Triangular
 - (2) Square planar, Tetrahedral, Linear, T-shaped
 - (3) Tetrahedral, Tetrahedral, Linear, Linear
 - (4) Square planar, Square planar, Angular, Linear

3.	Assuming strong field ligands, the diff the complexes of do (octahedral) and o	erence in CFSE in the I ⁶ tetrahedral is :	unit of Δ_n between
	(1) $-2.13 \Delta_n$	(2) $3.5 \Delta_n$	
	$(3)-1.5 \Delta_n$	(4) $-2.0 \Delta_0$	
4.	The defect in a crystal which arises of lattice and in it an atom or ion is mistermed as A It is a B type of deference A and B respectively are	ect.	n otherwise perfect site of the lattice is
	(1) Schottky, Extrinsic point		
	(2) Schottky, Intrinsic point		
	(3) Frenkel, Intrinsic point	177	a.
	(4) Frenkel, Extrinsic point.	c 3 00	
5.	The magnetic moment of an octahe crystal field due to ligands around the electrons in d_{z^2} and d_{z^2} are \bigcirc .	ic inclui ion is viv wi	1,000,000
	(1) Strong, Six		
	(2) Strong. Three		
	(3) Weak, Six		
	(4) Weak, Two		
		(2)	(Continued)

6.	Two hybrid orbitals of atom A are formed by linearly combining (4s and $3d_{2}$) orbitals. These are allowed to form two bonds with hydrogen 1s orbitals interaction to form a AH ₂ molecule. The shape of the AH ₂ molecule will be:				
	(1) Linear				
	(2) Angular				
	(3) Two AH bonds at 120° to each other				
	(4) Two AH bonds at 140° to each other				
7.	According to M.O. theory, the ground state of H_2 is σ_{is}^2 . In addition to the ground state, there are following excited states of H_2 :				
	$(a) \bigoplus_{\sigma_{i}, \sigma_{i}^{*}} \bigoplus_{(b) \bigoplus_{\sigma_{i}, \sigma_{i}^{*}}} \bigoplus_{(c) \bigoplus_{\sigma_{i}^{lr}} \bigoplus_{\sigma_{i_{a}}^{*}} \bigoplus_{(d) \bigoplus_{l \sigma_{i_{r}}^{A}} \bigoplus_{l \sigma_{i_{r}}^{*}} \bigoplus_{l \sigma_{i_{r}}^{*}}$				
	The highest and lowest energy states of He will respectively be:				
	(1) (b) and (a) (2) (c) and (a)				
	(3) (a) and (b). (4) (b) and (c)				
8.	Out of the following molecules/ions, the ones which are isoelectronic with N, and NH, respectively are:				
	(a) CO_3^{2-} (b) Ozone (c) Oxalate ion (d) N_3^- (e) $CO(f)$ H_3O^+				
	(1) N ₂ with O ₃ and NH ₃ with N ₃				
	(2) N ₂ with CO and NH, with H ₃ O+				
	(3) N_2 with H_3O^+ and NH_3 with $C_2O_4^{2-}$				
	(4) N ₂ with CO ₃ and Tally with O ₃				
	(3) (Turn Cver)				

17P/206/22 (1)			
The value of $\beta(B/B_0)$ of a ligand shows the extent of \triangle in the M-I. bond of the complex and also the extent of delocalization of ligand electrons. Its value is \triangle for the electrons in \triangle and \triangle orbitals. Since the α overlap of \triangle is usually larger than the Π -orbital overlap of \triangle , the cloud expansion is larger in the former case. Here \triangle , \triangle , \triangle and \triangle respectively are:			
(1) ionicity, higher, t_{2g} , e_{g}			
(2) ionicity, lower, e_g , t_{2g}			
(3) covalence, different, t_{2g} , e_g			
(4) covalence, higher, e_g , t_{2g}			
10. In Cs Cl ionic solid structure, the coordination number of Cs' and Cl' ions respectively are:			
(1) 6 and 8 (2) 8 and 8			
(3) 4 and 6 (4) 6 and 4			
11. Which one of the following molecules will show optical activity and is a chiral molecule?			
(a) $\left[\operatorname{Cr}(C_2O_4),\right]^{3-}$ [octahedral]			
(b) $Cis - [PtCl_1(CN)_2]$ square planar			
(c) $Cis - [RhCl_2(NH_3)_4]$ octahedral			

(d) [Ru(bipy), octahedral

(4)

(Continued)

	The correct a	lternative out of	the following four a	ternatives is :	
	(1) All the four molecules are chiral				
	(2) (a) and (c) are chiral and (b) and (d) are achiral				
	(3) (a) and (d) are	e chiral and (b) a	nd (e) are achiral	8	
	(4) (a), (b), (c) ar	re chiral and (d)	achiral		
12.,	The metal ion is located in the specific regions of the membrane of the cell and has a highly specific roles to play there. One of the roles is to control the distribution of protons and electrons. The ion is:				
	(1) Zn ²⁺	(2) Mg ²⁺	(3) Co ²⁺	(4) Fe ^{+2/+3}	
13.	The transition me preference of Zn ²	etal ions (viz, M , Ga and Ca ²⁺ . T	n, Fe, Co, Cù) are us The reason is that:	sed in redox enzymes in	
	(1) These have sp	ectral bands in t	he visible region		
	(2) These have ve	ariables valence o	or oxidation states	*	
	(3) These produc	e a specific mag	netic field in the cell		
	(4) The metal ions are coloured.				
	In transition metal tetrahedral complexes one has lower value of Δ (i.e. Δ , $<\Delta_0$). Further t_2 and C orbitals are A affected by Π -bonding. Although Δ , $<\Delta_0$, but the electronic parameter β is A affected and thus all tetrahedral complexes are A . Here A , A and A respectively are:				
	(1) equally, the sa	me, high			
	(2) more, same, h	igh			
	(3) less, lesser, lo	w			
	(4) less, more, hig	th .			

15.	In the reactions:				
	(a) graphite + K vapours → (A)				
	(b) carbon + Ca $\xrightarrow{\text{High}}$ $\xrightarrow{\text{B}}$				
	the products (A) and (B) respectively are:				
	(1) K_4C and Ca_2C (2) K_2C_2 and CaC				
	(3) KC _R and CaC ₂ (4) KC and CaC ₄				
16.	In methyl lithium [Li(CH ₃)] ₄ molecule, the bond between Lithium and (CH ₃) group is:				
	(1) Two center-two electron bond (2c - 2e)				
	(2) Three center-two electron bond (3c - 2e)				
	(3) Four center-two electron bond (4c - 2e)				
	(4) Five center-two electron bond (5c - 2e)				
17.	In the following list:				
	(a) $B(CH_3)_3$, (b) $B(OCH_3)_3$, (c) $SiCl_3(CH_3)$, (d) $[N(CH_3)_3]$, (e) $[NaCH_3COO]$				
	the molecules which cannot be classified as organometallics are:				
23	(1) B(OCH ₃) ₃ , Si(Cl ₃)(CH ₃), Na(CH ₃ COO)				
	(2) N(CH ₃) ₃ , Na(CH ₃ COO)				
	(3) B(OCH ₃) ₃ , [Na (CH ₃ COO)]				
	(4) [Na(CH ₃ COO)], B(C11 ₃) ₃				

18. The ores of Ti. Ta and Nb may be brought into solution near 800 °C using Na₂S₂O₃. A simplified reaction may be as follows:

$$TiO_2 + Na_2S_2O_2 \rightarrow Na_2SO_4 + TiO(SO_4)$$

The acid and base in the reaction are:

- (I) Ti4 as base and Na in Na,S,O, as acid
- (2) $S_2O_7^{2-}$ as base and O_2 as acid
- (3) O₂⁴ of TiO₂ (base) and SO₃ in S₂O₃ (acid)
- (4) Ti" as acid and S6+ as acid
- 19. The m.p.s of group two chlorides (MCl₂) increase steadily down the group, viz. Be Cl₂ < Mg Cl₂ < CaCl₂ < SrCl₂ < BaCl₃. This trend is in sharp contrast to alkali metal chlorides (MCl) viz. LiCl < NaCl < Rect > ReCl > CsCl. The following four reasons may be given. Some of them may be wrong. The reasons are:
 - (a) The nature of bonding varies from covalent to ionic down the group.
 - (b) The coordination number of metal ions increases and so the Madelung's constant (i.e. Lattice energy) increases from Be to Ba.
 - (c) The radius of Cl⁻ ion is so large whereas that of M²⁺ ions is less. This causes Cl⁻ to Cl⁻ repulsion to decrease.
 - (d) There is a decrease in the I.P. of the alkaline earth metal ions (i.e. M_(s) → M^{2*}_(s)) while in alkali metal ions, there is an increase in I.P. from K to Cs.

Out of these alternatives, pick the wrong one.

20. The following reactions are given:

$$XeF_2 + SiO_2 \rightarrow A + SiF_4$$

 $XeF_2 + Pt \rightarrow B + PtF_4$
 $XeF_2 + SbF_5 \rightarrow C + [C][SbF_6]$

Here A, B and C respectively are:

- (1) Xe(A), XeO₃(B), Xe²⁺(C)
- (2) $Xe(O_3)(A)$, Xe(B), $(XeF)^*(C)$
- (3) XeO₄(A), PtF₄(B), [XeF₃]*(C)
- (4) $Xe_{(g)}(A)$, $XeO_3(B)$, $[XeF]^+$
- 21. Which ones of the following statements are wrong in satisfactory description of bonding in electron deficient boron hydrides?
 - (a) It must show that each bond both two and three centered-contains two electrons, (conservation of electron rule)
 - (b) It must show that in the bonding, each boron atom uses all its four orbitals and each H-atom, its 1s orbital (valence)
 - (c) The bonding one, thus, gets out of the 2-centered and 3-centered bonds should not be consistent with the structure of hydrides.
 - (1)(a),(b)

(2)(a),(c)

(3)(b),(c)

(4) (c) only

(Continued)

22.	Graphite is a layered structure solid.
	(a) Within a layer of graphite, the type of bond (A) best describes the bonding
	(b) Between the different layers, the type of bonding is (B)
	(c) Graphite is relatively good electric conductor, © type of electrons are mobile and therefore, these are able to conduct the electric current.
60	Here (A), (B) and (C) respectively are:
	(1) A- ionic, B-covalent, Cσ-type
	(2) A-covalent, B Van der Waal C II-type
	(3) A-covalent, B Hydrogen C Π-type
	(4) A-ionic, B covalent, C σ-type
23,	The reason for impossibility of separation and isolation of isomers, Cis-[Cu-Cl ₂ (NH ₃) ₄] and trans-[Cu-Cl ₂ (NH ₃) ₄] from their mixture in solution is:
27	(1) Both are unstable in solution
	(2) Both are labile
	(3) Cis-[CuCl ₂ (NH ₃) ₄] decomposes in solution
	(4) Both gets polymerised
	(9)
	(Turn Over)

24.	The noble gas with the most extensive chemical properties is \bigcirc . Co with $A-F$, $A-O$ and $A-N$ bonds are known and the most important states are \bigcirc . Here \bigcirc , \bigcirc and \bigcirc respectively are:	mpounds oxidation
28	 (1) Argon, halogen, +2, +6 (2) Neon, Nitrogen, +4, +6 (3) Xe, Nitrogen(N), +2, +4, +6 (4) Rn, Sulphur(S), +2, +4 	
25.	The \bigcirc and m in the following reaction respectively are: $BrO_3^- + F_2(g) + 2(OH)^- \rightarrow \bigcirc A + m \text{ water}$	
26	 (1) Br₂ + 8 (2) [BrO₄] (aq), 2 (3) [HBrO], 4 (4) [Br₂O₇], 5 For s and p valence orbitals, overlap decreases on A group of per while B is true for the transition metals. That is why the heat of atom the main group metals C with increasing atomic numbers while (observed for transition metals. Here A, B and C respectively are: 	1110-01-1
	(1) ascending, opposite, increases(2) descending, opposite, falls(3) descending, the same, goes up	
	(4) ascending, the same, falls (10)	(Continued)

27. Relative Lewis acidity in decreasing order of

$$Li_4(CH_3)_4$$
, $B(CH_3)_3$, $Si(CH_3)_4$ and $Si(CH_3)Cl_3$ is:

- (1) $[Si(CH_3)_3Cl_3] > Si(CH_3)_4 > B(CH_3)_3 > Li_4(CH_3)_4$
- (2) $Si(CH_3)_4$, $Si(CH_3)Cl > B(CH_3)_1 > Li_4(CH_3)_4$
- (3) $\text{Li}_4(\text{CH}_3)_4 > \text{Si}(\text{CH}_3)_4 > \text{Si}(\text{CH}_3)\text{Cl}_3 > \text{B}(\text{CH}_3)_3$
 - (4) $B(CH_3)_3 > [Li_4(CH_3)_4] > Si(CH_3)Cl_3 > Si(CH_3)_4$
- 28. The structures of boron and nitrogen compounds [viz. BN type]:
 - (1) similar to graphite only, but it is non-conducting
 - (2) similar to diamond only, it can be used as very hard material
 - (3) similar to both graphite and diamond types with the properties given in (1) and (2)
 - (4) similar to NaCl type where B is (+ve) and nitrogen is (-ve) species
- 29. The simple iron porphyrine cannot function as O₂ carrier. It is because, the complex is:
 - (1) unstable in solution
 - (2) polymerized
 - (3) forms Fe O O Fe bridge
 - (4) forms Fe,O,

30. Polynuclear carbonyls are coloured and their intensity increases with number of metal ions. Their colour arises from electronic transitions between orbitals that are largely localized on: (1) the ligands viz. CO (2) metal framework (3) oxygen atoms of CO group not involved in bonding (4) carbon atoms of CO, which are not involved in bonding 31. The role of the reaction, $SO_2 + \frac{1}{2}O_2 + H_2O \xrightarrow{HC, NO} H_2SO_4$ in the environment is: (2) acid rain (1) global warming (4) Oxygen consumption (3) SO₂ poisoning 32. The importance of the reaction, $CO_2 + H_2O \xrightarrow{hu} (CH_2O) + O_2$, in the environment is: (2) green-house effect (1) sun radiation balance (4) respiration (3) photosynthesis

33. 'Speciation' m	eans:
--------------------	-------

- (1) segregation of chemical species
- (2) aggregation of chemical species
- (3) identification of chemical species
- (4) spuminess of chemical species

34. Which one is sink for CO, gas?

- (1) Coal
- (2) Ocean
- (3) Wood
- (4) Fire

35. The region of unadsorbed radiation by atmospheric window is:

(1) 800-1300 nm

(2) 8000-13000 nm

(3) 14000-25000 nm

(4) 4000-8000 mm

36. Select the procedure which you consider most appropriate for the quantitative analysis of organic functional group of starting reactant in the following reaction:

$$OH + 3Br_2 \rightarrow Br$$

$$OH + 3HBr$$

$$Br$$

- (1) Potassium bromate oxidation
- (2) Periodate oxidation

(3) Precipitation

(4) Karl-Fischer titration

(13)

(Turn Over)

37.	The methylated mercury in ecoaquatic system can be found due to:							
	(1) the discharge of methylated mercury from the industry							
	(2) the discharge of methylated mercury from the seed redressal							
	(3) the discharge of methylated mercury from the chemical and clinical labora- tories							
	(4) the biological	l methylation of m	nercury	2				
38.	The concentratio	n parts per billion	(ppb) is:	828				
	(1) g/L (2) mg/L (3) μg/L (4) mol/L							
39.	O. The percentage transmittance (T) can be related to the absorbance (A) as:							
	(1) % $T = 2 - \log A$							
	(2) $A = 2 - \log \% T$							
	(3) $\Lambda = \log \% T - 2$							
	(4) % $T = \log A - 2$							
40	40. The results of an analysis are 36.97 g, compared with the accepted value of 37.06 g. The relative error in parts per thousand is:							
(1) -2.40 (2) -24.0 (3) -0.24 (4) -0.024								
	(14) (Continue							

- 41. The coefficient of variation is:
 - (1) %RSD
- (2) RSD
- (3) SD
- (4) SD²
- 42. The mean and the standard deviation of the following set of analytical results: 15.67 g, 15.69 g, 16.03 g are:
 - (1) 15.80, 0.20 g

(2) 15.80, 0.02 g

- (3) 15.80, 2.00 g
- (4) 15.80, 0.002 g
- 43. The equation for a normal error curve has the form:
 - (1) $T = \frac{e^{-((x-\mu)^2/2\sigma^2)}}{\sigma\sqrt{2}\pi}$

(2) $Y = \frac{\sigma\sqrt{2\pi}}{-\left[(x-\mu)^2/2\sigma^2\right]}$

(3) $Y = \frac{\sigma.2\pi}{e^{-\left[(x-\mu)^2/2\sigma^2\right]}}$

- (4) $Y = \frac{2\pi\sigma^2}{e^{-\left\{(x-\mu)^2/2\sigma^2\right\}}}$
- 44. The relationship between distribution ratio (D) and distribution coefficient (K_D) for a weak acid can be represented as:
 - (1) $D = \frac{1/K_D}{1+K_A/[H^+]}$
 - (2) $D = \frac{1 + K_D}{1 + K_A/[H^+]}$
 - (3) $D = \frac{K_D}{1 + K_A/[H^+]}$
 - (4) $D = \frac{K_a}{1 + K_b/(H^2)}$

- 45. Twenty milliliters of an aqueous solution of 0.10 M butyric acid is shaken with 10 mL ether. After the layers are separated, it is determined by titration that 0.5 mmol butyric acid remains in the aqueous layer. The distribution ratio and the percent of acid extracted are:
 - (1) 60.0, 95%

(2) 30.0, 47%


(3) 6.0, 75%

- (4) 12.0, 99%
- 46. Which one of the following Ce(IV) solutions is stable for a year even at more than room temperature?
 - (1) Basic solution

(2) Acidic solution

(3) Neutral solution

- (4) Moderate basic solution
- 47. In the potentiometric titration of KCl with 0.1 M AgNO, the equivalence point can be obtained from the given plot as:
 - (1) 10 mL
- (2) 20 mL
- (3) 25 mL
- (4) 15 mL



- 48. EDTA is a:
 - (1) bidentate ligand

- (2) tridentate ligand
- (3) quadridentate ligand
- (4) hexadentate ligand

(16)


(Continued)

49.	Which one used for the preparation of I	EDTA aqueous solution?			
	(1) EDTA				
	(2) monosodium salt of EDTA				
	(3) disodium salt of EDTA		ii.		
	(4) tetrasodium salt of EDTA	U 2			
50.	Which parameter has no unit?	82			
	(1) Transmittance	(2) Path length			
	(3) Absorptivity	(4) Solute concentration			
51.	Which of the following statements are true?				
	 (A) Cation-exchange resins have primary amine group. (B) Cation-exchange resins have sulphonic acid group. (C) Anion-exchange resins have tertiary amine group. 				
	(D) Anion-exchange resins have carbo	xylic acid group.			
	(1) A and D	(2) B and C			
	(3) A and C	(4) B and D			
	(17	7			
	1.11	,	(Turn Over)		

52.	Which two statements are totally false?				
	(A) Beer's law is obeyed when aqueous solution of chromate is diluted with water.				
	(B) Beer's law is obeyed when aqueous solution of chromate is made strongly acidic.				
	(C) Beer's law is obeyed when aqueous solution of chromate is made strongly alkaline.				
	(D) Beer's law is obeyed when aqueous solution of chromate is made perfectly neutral.				
	(1) B and C		(2) A and B		
	(3) A and D		(4) C and D		
53.	Which two of following statements are totally true?				
	(A) In normal-phase chromatography, the stationary phase is polar.				
	(B) In normal-phase chromatography, the stationary phase is non-polar.				
	(C) In reverse-phase chromatography, the stationary phase is polar.				
	(D) In reverse-phase chromatography, the stationary phase is non-polar.				
	(1) A and C	19	(2) A and D		
	(3) B and C		(4) B and D		
		(18-)	(Continued)	

54	4. Planar chromatography methods incl	lude :
	(A) High performance liquid chroma	tography
	(B) Thin-layer chromatography	
	(C) Paper chromatography	
	(D) Electro chromatography	
	(1) only A	(2) both A and B
	(3) B, C and D	(4) A, BandC
55	. Which one is 2-D chromatography?	
	(1) Gas chromatography	(2) HPLC
	(3) Paper chromatography	(4) Ion-exchange chromatography
56.	The number of theoretical plates can the expression:	be obtained from a chromatogram from
	$(1) n = 16 \left(\frac{l_R}{w}\right)^2$	(2) $n=16\left(\frac{w}{T_n}\right)^2$
	(2) $(t_R)^2$,

57. In the conductometric titration between an acid and base, the graph:



represents a titration between ;

- (1) Strong acid and strong base
- (2) Strong acid and weak base
- (3) Weak acid and strong base
- (4) Weak acid and weak base
- 58. The transition pH range of phenolphthalein is:
 - (1) 1-4
- (2) 4-6
- (3) 8-10
- (4) 12-14
- 59. The optimum dissolved oxygen in natural water is:
 - (1) 1-2 ppm
- (2) 2-4 ppm
- (3) 4-6 ppm
- (4) 6-8 ppm
- 60. Which region of the atmosphere contains ozone?
 - (1) Troposphere (2) Stratosphere
- (3) Mesosphere
- (4) Thermosphere

(20)

(Continued)

61.	. The half life of radium is 1600 years. After how much time will 1 gm radium reduced to 125 mgs.				
	(1) 1800 years	(2) 1600 years			
	(3) 3200 years	(4) 4800 years.			
62.	The energy can be represented in term equation:	s of partition function by the following			
	(1) $E = kT (\partial \ln Q/\partial T)_v$	(2) $E = kT^2 (\partial \ln Q/\partial T)_v$			
	(3) $E = k/T (\partial \ln Q/\partial T)_v$	(4) $E = k/T^2 (\partial \ln Q/\partial T)_v$			
63.	The Variation theorem used to find the	MO wave function ψ is a/an:			
	(1) Exact method	(2) Approximate method			
	(3) Magnetic method	(4) Spectroscopic method			
64.	According to Bose-Einstein statistics is:	the maximum probability distribution			
	(1) $n_i/g = 1/e^{\alpha + \beta e i}$	(2) $n_i/g = 1/e^{\alpha+\beta ci} - 1$			
	$(3) \ n_i/g = 1/e^{\alpha + \beta ai} + 1$	(4) None of these.			
65.	The concent of Excess Functions is ap	plicable to :			
	(1) Non-ideal solution	(2) Ideal solutions			
	(3) Phase equilibrium	(4) Exact differentials			
	(21	(Turn Over)			

66.	Canonical Ensembles are:		
	(1) Isolated systems.		
	(2) Closed isothermal systems	63	
	(3) Open isothermal systems		
	(4) Imaginary systems		
67.	Which of the following partition unity?	functions will be substantially	larger than
	(1) Electronic	(2) Vibrational	
	(3) Rotational	(4) Translational	
68.	In Fermi-Dirac statistics the partic	eles are :	
	(1) Indistinguishable	(2) Distinguishable	
	(3) Adsorbed	(4) Absorbed	
69.	The entropy production for a system $\sigma = J_1 X_1 + J_2 X_2$, here X_1 and X_2 s	tem having two fluxes J_1 and J_2 stand for ——— corresponding to	is given by J_1 and J_2 .
	(1) Mole fractions	(2) Forces	
	(3) Molar concentrations	(4) Chemical potentials	9
		(22)	(Continued)

70. The Ilkovic equation is:		
(1) $I_d = 607 \text{ n } D^{1/2} m^{2/3} t^{1/2} c$	(2) $I_d = 706 \text{m}$	D ^{3/2} m ^{2/3} t ^{1/2} c
(3) $I_d = 607 \text{ n } D^{2/3} m^{1/2} t^{1/3} c$	(4) $l_d = 706 \text{n} \text{I}$) ^{1/3} m ^{2/3} t ^{1/2} c
71. In any crystal ratio of Weiss ind would be:	ices of the face is 2:4	4:3, then Miller indices
(1) 634 (2) 346	(3) 436	(4) 643
72. The number of atoms per unit cel	l in simple cubic fcc a	nd bcc are :
(1) 4, 2, 1 (2) 1, 2, 4	(3) 1, 4, 2	(4) 2, 4, 1
73. If velocity constant of a reacti	on is 2.0×10 ⁻⁴ sec an neentration of reactan	nd rate of reaction is t will be:
(1) 8.0×10 ⁻⁴ mole ⁻¹ litre ⁻¹	(2) 1.0 mole ⁻¹ lit	re ⁻¹
(3) 4.0 mole ⁻¹ litre ⁻¹	(4) 8.0 mole 1 lit	re-t
 On increasing the temperature the temperature is increased by 50 °C, 	rate of reaction is do then the rate of reacti	ubled per 10 °C. If the on will increase:
(1) 12 times (2) 16 times	(3) 32 times	(4) 50 times
75. If the entropy change d S _{UV} > 0 (w then the process would be:	here U = internal enc	gy and V = volume)
(1) Spontaneous	(2) Reversible	
(3) Exothermic	(4) None of the ab	ove.
4-2	2.	(7)
*#		(Turn Over)

- 76. The correct for of Clausius-Clapeyron equation is:
 - (1) $dP/dT = \Delta H/T\Delta V$

(2) $dV/dT = \Delta H/T \Delta V$

(3) $dTidP = \Delta H | V \Delta T$

- (4) $dP/dT = L/T(P_2 P_1)$
- 77. On increasing the temperature the rate of reaction is doubled per 10 °C. If the temperature is increased by 50 °C, then the rate of reaction will increase:
 - (1) 12 times
- (2) 16 times
- (3) 32 times
- (4) 50 times
- 78. Which of the following is true for an orthorhombic lattice?
 - (1) a = b = c, $\alpha = \beta = \gamma = 90^{\circ}$
 - (2) $\alpha \neq b \neq c$, $\alpha = \beta = \gamma = 90^{\circ}$
 - (3) $a \neq b \neq c$, $\alpha = \gamma = 90^{\circ}$, $\beta \neq 90^{\circ}$
 - (4) $a = b \neq c$, $\alpha = \beta = \gamma$
 - 79. Which of the following is the correct order of surface area per molecule/Nm² for Langmuir-Blodgett films?
 - (1) steric acid > tri-para cresyl phosphate > iso steric acid
 - (2) tri-para cresyl phosphate > iso steric acid > steric acid
 - (3) iso steric acid > tri-para cresyl phosphate > steric acid
 - (4) steric acid > iso steric acid > tri-para cresyl phosphate

(24)

(Continued)

80.	Cu-Ni	alloy	is	an	examo	le	of	
ou.	Cu-Ni	alloy	ıs	an	examp	[e	of	

- (1) Substitutional solid solution
- (2) Interstitial solid solution

(3) Mixture

(4) None of these.

81. Which of the following refractive material has highest melting point?

- (1) Al₂O₃
- (2) SrO
- (3) MgO
- (4) HfC

82. Which of the following alkenes would have the largest λ_{max} ?

$$(1) \prod_{H,C}^{H,C} = C \prod_{H}^{H}$$

(2)
$$H_3C = CH_3$$

(3)
$$H_{3}C = CH_{3}H$$

(4)
$$H_{1}C = CH_{1}$$

83. The correct order of IR stretching frequencies for C = C, C = C and C - C bond is:

(1)
$$C-C>C=C>C=C$$

(2)
$$C = C > C = C > C - C$$

(3)
$$C-C>C=C$$

84. Which is correct for Lambert's and Beer's law?

(1)
$$\log I_0/I = -\varepsilon CI$$

(2)
$$\log I_0/I = \varepsilon CI$$

. (3)
$$\log I/I_0 = \varepsilon C1$$

Where I = intensity of transmitted light, I_0 = intensity of incident light, C = concentration, I = path length and ε = motor absorptivity.

(Turn Over)

85. The vibrational degrees of freedom for CH₂ = CHCH₂Br, CO₂ and SO₂ are:

- (1) 22, 3, 4
- (2) 21.4.3
- (3) 22, 4, 3 (4) 21, 3, 4

86. The τ values of methyl protons in methyl halides are in the order:

- (1) $CH_{1}F > CH_{1}C1 > CH_{1}B_{1} > CH_{1}I$
- (2) CH,CI > CH,F > CH,Br > CH,1
- (3) CH,1 > CH,Br > CH,Cl > CH,F
- (4) CH₃I < CH₃Br > CH₃F > CH₃CI

87. If mass of the particle - m and length of a one dimensional box = L, the energy of a particle is by :

(1) nh/8 mL2

(2) n2h2/8 mL2

(3) nh/8 mm/2

(4) n2h2/8 mL

88. A solution containing one mole for litre each of Cu(NO₃)₂, AgNO₃, Hg₂(NO₃)₂ and Mg(NO3)2 is electrolyzed using inert electrodes.

Standard electrode potentials in volts (reduction potentials) are:

$$Ag^{+}|Ag = 0.80$$

 $Hg2^{2+}|Hg = 0.79$
 $Cu^{2+}|Cu = 0.34$
 $Mg^{2+}|Mg = -2.37$

With increasing voltage, the sequence of deposition of metals on the cathode will be:

(1) Ag, Hg, Cu, Mg

(2) Mg, Cu, Hg, Ag

(3) Ag, Hg, Cu

(4) Cu, Hg, Ag

89	$E^{\circ}\left(\operatorname{Cu}^{2+}/\operatorname{Cu}\right) =$	+0.34 V. What is	the value of E (at 2	298 K) for an aqueous
		ch $[Cu^{2+}] = 0.02 \text{ m}$		
	(1) 0.29 V	(2) 0.32 V	(3) 0.39 V	(4) 0.36 V
90.	Which of the fo	ollowing is NOT a p	property of a catalyst	?
	(1) It lowers th	e activation energy	for both the forward	and reverse processes.
			forward and reverse	
	(3) It may be re	covered unchanged	at the end of the read	ction.
		the equilibrium cor		
91.				(a) specifically in an
	(1) hydroboratio	on-oxidation	9.	
	(2) addition of I	Br ₂	SEC	
	(3) Addition of	н,	9 ⁸⁴	
	(4) Addition of	H ₂ O in dilute acid		
2.	Which statemen	t about cyclohexane	is incorrect?	
	(1) Each C atom	is sp³ hybridized	22 - 12	
	(2) H atoms occi	ipy equatorial or ax	ial sites	
	(3) The cyclohex	ane ring can flip be	tween chair and hoat	Conformers
		suffers rine		2 monitors
	and the second	. (2	77	(Turn Ones)

93.	Which one of the following sugar is non-reducing?					
	(1) Fructose	(2) Sucrose	(3) Lactose	(4) Maltose		
94.	Epimerization of an aldose sugar involves the difference in stereochemistry at carbon:					
2	(1) C-1 only		(2) C-2 only			
	(3) C-3 and C-4	only	(4) C-2 or C-3	3 or C-4 only		
95.	5. Which one of the following form the same osazone on the treatment with excess of phenyl hydrazine?					
	(1) D(+)-Gluco	se and D(+)-Mann	ose	87		
	(2) D(+)-Gluco	se and D(-)-Galac	tose			
	(3) D(+)-Galac	tose and D(+)-Mar	nose	*0		
	(4) D(+)-Gluco	se and D()-Ribos	se			
96	96. Quinoline on reduction leads to the formation of decahydroquinoline using one of the following:					
	(1) LiAlH4		(2) Na-Liq.	NH ₃		
	(3) H ₂ /Ni		(4) H ₂ , Pt in	сн,соон		
		10.	(28)	(Continued)		

97. $2CH_2 = CHCHO + NH_3 \rightarrow X \xrightarrow{K_2Cr_2O_7, H_2SO_4} Y$ where X and Y are:

(1)
$$X = \bigcap_{Y = X} COOH$$
 (2) $X = \bigcap_{Y = X} COOH$

98. Isoprene +
$$O \rightarrow O \xrightarrow{i) CH_1MgBr} X$$

(1) α-terpeniol

(2) Geraniol

(3) Citral

- (4) α-pinene
- 99. Amino acids on treatment with aq. NaNO₂ and HCl in cold conditions generates effervescences due to:
 - (1) Formation of NH,
- (2) Formation of CO,

(3) Formation of N,

- (4) Formation of Cl,
- 100. Sulphur containing amino acid combination is:
 - (1) Cysteine and Glutamine
- (2) Glutamine and Methionine
- (3) Cysteine and Methionine
- (4) Tryptophan and methionine

(29)

(Turn Over)

101.
$$C_{1}H_{2}$$

O

N

N

COOH

N

CH2OH

(2) $C_{0}H_{3}$

O

N

CH2OH

(3)

R

COOH

(4)

R

CH2OH

(4)

NH2

- 102. Ziegler-Natta catalyst used in polymerization of olefins is:
 - (1) Al(CH₃)₃ and TiCl₃
- (2) Al(C₂H₅)₃ and TiCl₃
- (3) Al(C2H5)3 and TiCl4
- (4) Al(CH₃)₃ and TiCl₄
- 103. Nylon 66 is condensation polymer of which type and what are its condensing units?
 - (1) Polyester, hexamethylene diamine Adipic acid
 - (2) Polyamide, hexamethylene diamine Adipic acid
 - (3) Polyester, hexamethylene diamine Sebacic acid
 - (4) Polyamide, hexamethylene diamine Sebacic acid
 - 104. Polyurethanes are formed from the reaction of:
 - (1) Urea and Formaldehyde
- (2) Isocyanate and alcohol


(3) Urea and alcohol

(4) Isocyanate and Formaldehyde

(30) (Continued)

105. Polymerization unit of Neoprene is	1
(1) H ₃ C	(2) CI
(3)	(4)
106. Molecular system changes from c jugation due to:	Cl colourless to coloured on increasing con
(1) Lower energy π - π * transition	(2) Lower energy σ-σ* transition
(3) Higher energy π-π* transition	(4) Higher energy σ-σ* transition
107. Phenolphthalein dye is synthesized b	by the reaction of phthalic anhydride with
(1) Resorcinol	(2) p-Hydroxyphenol
(3) p-Nitrophenol	(4) Phenol
108. Geraniol belongs to which class of te	rpenoids and how many isoprene units are
(1) Diterpene, two units	(2) Monoterpenes, one unit
(3) Diterpenes, one unit	(4) Monoterpenes, two units
109. Pick up the position of methyl and co	
(1) Equatorial, more stable	(2) Axial, more stable
(3) Equatorial, less stable	(4) Axial, less stable
(3)	1)
	Turn Over)

110. Which of the following is the best explanation for the relative stability of the conformations?



- (1) (I) has more torsional strain
- (2) (II) has more torsional strain
- (3) (I) has more steric strain
- (4) Both have more steric strain
- 111. In the boat confirmation of cyclohexane, the most destabilizing interaction is :
 - (1) Eclipsing

(2) 1, 3-diaxial

(3) 1, 3-diequatorial

- (4) flagpole-flagpole
- 112. Choose the correct order of stability of conformational isomeric forms of cyclohexane:
 - (1) chair form > boat form > twist boat form
 - (2) chair form > twist boat form > boat form
 - (3) boat form > twist boat form > chair form
 - (4) twist boat form > boat form > chair form
 - 113. The reactive intermediate involved in the reaction of benzene with diazomethane is:
 - (1) Carbocation (2) Carbanion
- (3) Carbene
- (4) Free radical


(32)


(Continued)

114. Carbene formed as an intermediate in:

- (1) Pinacol-pinacolone Rearrangement
- (2) Hoffmann Rearrangement
- (3) Beckmann Rearrangement
- (4) Wolf Rearrangement

115.
$$NH_2$$
 NH_2
 $NANO_2, HCI$
 X





- 116. Naphthalene on treatment with conc. H₂SO₄ at 160 °C temp. or higher gives mainly:
 - (1) α-Naphthalenesulphonic acid
- (2) β-Naphthalenesulphonic acid
- (3) Naphthalene 1, 2 distriptionic acid (4) Primaric acid

(Turn Over)

117. Nicotine on oxidation followed by heating at 460 K gives rise to:				
(1) Pyridine-2-carboxylic acid	(2) Piperidine-2-carboxylic acid			
(3) Piperidine-3-carboxylic acid	(4) Pyridine-3-carb	oxylic acid		
118. n-Propylbromide on treatment with ethanolic KOH gives:				
(1) Propane (2) Propene	(3) Propyne	(4) Propanol		
119. Aldol condensation between which of the following compounds followed by dehydration give methyl vinyl ketone:				
(1) Formaldehyde and Acetone	(2) Formaldehyde			
(3) Two molecules of acetaldehyde	(4) Two molecules of Acetone			
120. Hybridization of the singlet and triple	et carbenes are:			
(1) sp and sp ²	(2) sp^2 and sp^2			
(3) sp ² and sp	(4) sp and sp			

ROUGH WORK रफ़ कार्य

अभ्यर्थियों के लिए निर्देश

(इस पुस्तिका के प्रथम आवरण-पृष्ठ पर तथा उत्तर-पत्र के दोनों पृष्ठों पर केवल नीली या काली बाल-प्वाइंट पेन से ही लिखें)

- प्रश्न पुस्तिका मिलने के 30 मिनट के अन्दर ही देख लें कि प्रश्नपत्र में सभी पृष्ठ मौजूद हैं और कोई प्रश्न छूटा नहीं है । पुस्तिका दोषयुक्त पाये जाने पर इसकी सूचना तत्काल कक्ष-निरीक्षक को देकर सम्पूर्ण प्रश्नपत्र की दूसरी पुस्तिका प्राप्त कर लें ।
- परीक्षा भवन में लिफाफा रहित प्रवेश-पत्र के अतिरिक्त, लिखा या सादा कोई भी खुला कागज साथ में न लायें।
- उत्तर-पत्र अलग से दिया गया है । इसे न तो मोई और न ही विकृत करें । दूसरा उत्तर-पत्र महीं दिया जायेगा, केवल उत्तर-पत्र का ही मूल्यांकन किया जायेगा ।
- अपना अनुक्रमांक तथा उत्तर-पत्र का क्रमांक प्रथम आयरण-पृष्ठ पर पेन से निर्धारित स्थान पर लिखें !
- उत्तर-पत्र के प्रथम पृष्ठ पर पेन से अपना अनुक्रमांक निर्धारित स्थान पर लिखें तथा नीचे दिये वृत्तों को गाइ।
 कर दें |जहाँ-जहाँ आवश्यक हो वहाँ प्रश्न-पुत्तिका का क्रमांक तथा सेट का नम्बर उचित स्थानों पर लिखें।
- 6. ओ॰ एम॰ आ८ पत्र पर अनुक्रमांक संख्या, प्रश्न-पुस्तिका संख्या व सेट संख्या (यदि कोई हो) तथा प्रश्न-पुस्तिका पर अनुक्रमांक संख्या और ओ॰ एम॰ आ८ पत्र संख्या की प्रविष्टियों में उपिरलेखन की अनुमति नहीं है ।
- उपर्युक्त प्रविष्टियों में कोई भी परिवर्तन कक्ष निरीक्षक द्वारा प्रमाणित होना चाहिये अन्यथा यह एक अनुचित साधन का प्रयोग माना जायेगा।
- 8. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार वैकल्पिक उत्तर दिये गये हैं। प्राप्येक प्रश्न के वैकल्पिक उत्तर के लिये आपको उत्तर-पत्र की सम्बन्धित पंक्ति के सामने दिये गये वृत्त को उत्तर-पत्र के प्रथम पृष्ठ पर दिये गये निर्देशों के अनुसार पेन से गाड़ा करना है।
- प्रत्येक प्रश्न के उत्तर के लिये केवल एक ही वृत्त को गाइ। करें । एक से अधिक वृत्तों को गाइ। करने पर अथवा
 एक वृत्त को अपूर्ण भरने पर वह उत्तर गलत माना जायेगा।
- 10. ध्यान दें कि एक बार स्याही द्वारा अंकित उत्तर बदला नहीं जा सकता है। यदि आप किसी प्रश्न का उत्तर नहीं देना चाहते हैं, तो सम्बन्धित पंक्ति के सामने दिये गये सभी बृत्तों को खाली छोड़ दें। ऐसे प्रश्नों पर शून्य अंक दिये जारोंगे।
- 11. एफ कार्य के लिये प्रश्न-पुस्तिका के मुखपृष्ठ के अन्दर वाले पृष्ठ तथा अंतिम पृष्ठ का प्रयोग करें ।
- 12. परीक्षा के उपरान्त केवल अहे एम आह उत्तर-पत्र परीक्षा भवन में जमा कर दें।
- 13. परीक्षा समाप्त होने से पहले परीक्षा भवन से बाहर जाने की अनुमति नहीं होगी।
- यदि कोई अध्यर्थी परीक्षा में अनुचित साधनों का प्रयोग करता है, तो वह विश्वविद्यालय द्वारा निर्धारित दंड का/की, भागी होगा/होगी ।

111.	Which one of Country?	the following is	the oldest Departm	nent of Geography of the				
			aras Hindu Univers	sity				
	(2) Geography Department, Allahabad University (3) Geography Department, Aligarh Muslim University							
				sity				
		Department, Calc						
	निम्न में से कौन देश	ाका सबसे पुराना भूगे	लि विभाग है?					
18	(1) भूगोल विभाग,	काशी हिन्दू विश्वविद्यात	नय					
		इलाहाबाद विश्वविद्याल						
		अलीगढ़ मुस्लिम विश्व						
		कलकत्ता विश्वविद्यालय						
112.	When the bottom direction, this is	of a number of fa termed as	ults occurring at a	place remains in the same				
	(1) step fault	(2) reverse fau	lt (3) thrust faui	t (4) normal fault				
	जब एक ही स्थान पर	घटित कई ध्रंशों का	तल एक ही दिशा में स	ता है, तो उसे कहते हैं				
	(1) सोपानी भ्रंश	(2) व्युक्तम भ्रंश	(3) उत्क्रमित भ्रंश	(4) सामान्य भ्रंश				
113.	Ruhr Industrial	Region is located	in					
	(1) France	(2) Germany	(3) Italy	(4) Russia				
	रूर औद्योगिक क्षेत्र अ	वस्थित है		(1) Kussia				
	(1) फ्रांस में	(2) जर्मनी में	(3) इटली में	(4) रूस में				
114,	Who among the	following constitu	te the largest triba	group of India				
	(1) Gonds	(2) Todas	(3) Santhals					
(31)			37	(4) Tharus				
	٠		n, re	PTO				
				(P.T.O.)				

	निम्न में से कौन भा	रत का वृहत्तम जनजा	तीय वर्ग बन	ाता है?		81	
	(1) गोंड	(2) टोडा	(3)	संथाल	(4)	थारू	
115.	Who asserted th	hat 'man is pro	duct of E	arth surfa	ace'?		
	(1) E. Huntingt	on	(2)	G. Taylor	•		
	(3) Carl O. Sau	er	(4)	E. C. Ser	mple		
	किसने दावे के साथ	कहा कि 'मानव भू	-पृष्ठ की उप	ज है'?			
	(1) ई० हंटिंगटन		(2)	जी० टेलर			
	(3) कार्ल ओ॰ सार्	गर	(4)	ई० सी० से	म्पल	9	
116.	Which one of t	he following for	es is ass	ociated wi	ith 'Ferre	l's Law'?	
	(1) Frictional fo			Centripet			
	(3) Coriolis for	ce	(4)	Pressure	gradient	force	
	निम्न शक्तियों में से	कौन 'फेरेल नियम'	से सम्बन्धित	₹?			
	(1) घर्षण बल	(2) अभिकेन्द्र व	बल (3)	कोरिओलिस	ৰেল (4)	दाब प्रवणता	बल
117.	as Reason (R).	two statements Select your ans	wer irom	the code.	S BITOIL S		
	(A) Grow level	th of urban pop of urbanization	ulation in	India is r	not leading	g to increas	
	decli	of growth of u					
	(1) Both (A) a	nd (R) are true	and (R) is	the corre	ect explar	nation of (A	7)
	(2) Both (A) a	nd (R) are true	but (R) is	not the	correct ex	planation o	of (A)
	(3) (A) is true	(R) is false	21		ħ.i		
	(4) (A) is false	(R) is true					¥
or and the	Value Section		38				
(31)							

दो कथन दिए गए हैं। एक को कथन (A) और दूसरे को कारण (R) के रूप में दिया गया है। नीचे दिए गए कूट से सही उत्तर चुनिए :

- (A) भारत में नगरीय जनसंख्या में वृद्धि, नगरीकरण के स्तर में वृद्धि का कारक नहीं है।
 - (B) भारत में नगरीय जनसंख्या की वृद्धि में उल्लेखनीय हास नहीं हुआ है।
- (1) (A) और (R) दोनों सही हैं एवं (R), (A) की सही व्याख्या है
- (2) (A) और (R) दोनों सही हैं परन्तु (R), (A) की सही व्याख्या नहीं है
- (3) (A) सही है (R) गलत है
- (4) (A) गलत है (R) सही है
- 118. When did the world experience its first major energy crises?
 - (1) 1968
- (2) 1973
- (3) 1978
- (4) 1983

विश्व ने कब प्रथम प्रमुख ऊर्जा संकट का अनुभव किया?

- (1) 1968 में
- (2) 1973 में
- (3) 1978 节
- (4) 1983 취
- 119. Mongolo-Dravidian races in India are found in which one of the following areas?
 - (1) West Bengal and Coastal Odisha
 - (2) Rajasthan and Kashmir Valley
 - (3) Himalayan Region and Assam
 - (4) Gujarat and South-West Madhya Pradesh

मंगोलो-द्राविडियन प्रजातियाँ भारत में निम्न में से किस क्षेत्र में पाई जाती है?

- (1) पश्चिम बंगाल एवं तटीय ओडिशा
- (2) राजस्थान एवं कुश्मीर घाटी

(3) हिमालयी क्षेत्र एवं असम

(4) गुजात एवं दक्षिण-पश्चिमी मध्यप्रदेश

120. Which one of the following pairs is not correctly matched?

States

Iron Ore Mines

(1) Kerala

Kozhikode

(2) Karnataka

Bellary-Chitradurga

(3) Odisha

Namagiri Hills

(4) Maharashtra

Ratnagiri

निम्न युग्मों में से कौन सुमेलित नहीं है?

राज्य

लौह अयस्क खदानें

(1) **के**रल

कोजीखोडा

(2) कर्नाटक

बेल्लारी-चित्रदुर्ग

(3) ओडिशा

नामगिरि हिल्स

(4) महाराष्ट्र

रलागिरि

अभ्यर्थियों के लिए निर्देश

(इस पुस्तिका के प्रथम आवरण-पृष्ठ पर तथा उत्तर-पत्र के दोनों पृष्ठों पर केवल नीली या काली बाल-प्वाइंट पेन से ही लिखें)

- प्रश्न पुस्तिका मिलने के 30 मिनट के अन्दर ही देख लें कि प्रश्नपत्र में सभी पृष्ठ मौजूद हैं और कोई प्रश्न छूटा नहीं है। पुस्तिका दोषयुक्त पाये जाने पर इसकी सूचना तत्काल कक्ष-निरीक्षक को देकर सम्पूर्ण प्रश्नपत्र की दूसरी पुस्तिका प्राप्त कर लें।
- परीक्षा भवन में लिफाफा रहित प्रवेश-पत्र के अतिरिक्त, लिखा या सादा कोई भी खुला कागज साथ में न लायें।
- उत्तर-पत्र अलग से दिया गया है। इसे न तो मोड़ें और न ही विकृत करें। दूसरा उत्तर-पत्र नहीं दिया जायेगा, केवल उत्तर-पत्र का ही मूल्यांकन किया जायेगा।
- अपना अनुक्रमांक तथा उत्तर-पत्र का क्रमांक प्रथम आवरण-पृष्ठ पर पेन से निर्धारित स्थान पर लिखें।
- 5. उत्तर पत्र के प्रथम पृष्ठ पर पेन से अपना अनुक्रमांक निर्धारित स्थान पर लिखें तथा नीचे दिये वृत्तों को गाढ़ा कर दें। जहाँ-जहाँ आवश्यक हो वहाँ प्रश्न-पुस्तिका का क्रमांक तथा सेट का नम्बर उचित स्थानों पर लिखें।
- 6. ओ० एम० आर० पत्र पर अनुक्रमांक संख्या, प्रश्न-पुस्तिका संख्या व सेट संख्या (यदि कोई हो) तथा प्रश्न-पुस्तिका पर अनुक्रमांक सं० और ओ० एम० आर० पत्र सं० की प्रविष्टियों में उपरिलेखन की अनुमित नहीं है।
- उपर्युक्त प्रविष्टियों में कोई भी परिवर्तन कक्ष निरीक्षक द्वारा प्रमाणित होना चाहिये अन्यथा यह एक अनुचित साधन का प्रयोग माना जायेगा।
- 8. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार वैकल्पिक उत्तर दिये गये हैं। प्रश्येक प्रश्न के वैकल्पिक उत्तर के लिये आपको उत्तर-पत्र की सम्बन्धित पंक्ति के सामने दिये गये वृत्त को उत्तर-पत्र के प्रथम पृष्ठ पर दिये गये निर्देशों के अनुसार पेन से गाड़ा करना है।
- प्रत्येक प्रश्न के उत्तर के लिये केवल एक ही वृत्त को गाड़ा करें। एक से अधिक वृत्तों को गाड़ा करने पर अथवा एक वृत्त को अपूर्ण भरने पर वह उत्तर गलत भाना जायेगा।
- 10. ध्यान दें कि एक बार स्याही द्वारा ऑकित उत्तर बदला नहीं जा सकता है। यदि आप किसी प्रश्न का उत्तर नहीं देना चाहते हैं, तो सम्बन्धित पंक्ति के सामने दिये गये सभी वृत्तों को खाली छोड़ दें। ऐसे प्रश्नों पर शून्य अंक दिये जायेंगे।
- रफ़ कार्य के लिये प्रश्न-पुस्तिका के मुखपृष्ठ के अन्दर वाले पृष्ठ तथा अंतिम पृष्ठ का प्रयोग करें।
- परीक्षा के उपरान्त केवल ओ०एम०आर० उत्तर-पत्र परीक्षा भवन में जमा कर दें।
- परीक्षा समाप्त होने से पहले परीक्षा भवन से बाहर जाने की अनुमति नहीं होगी।
- यदि कोई अध्यर्थी परीक्षा में अनुचित साधनों का प्रयोग करता है, तो वह विश्वविद्यालय द्वारा निर्धारित दंड का/की, भागी होगा/होगी।