17P/208/22

Question Booklet No.....

		To be fi	lled up by	the ca	ndidate	e by blu	e/black ball-point p	oen)
Roll No.								bgriso.₩
Roll No. (Write the d	ligits in we	ords)				0.2700		***************************************
Serial No. o	of OMR An	swer Sl	neet				***	
Day and Da	ate	••••					(Signa	ture of Invigilator)

INSTRUCTIONS TO CANDIDATES

(Use only blue/black ball-point pen in the space above and on both sides of the Answer Sheet)

- Within 30 minutes of the issue of the Question Booklet, check the Question Booklet to ensure that
 it contains all the pages in correct sequence and that no page/question is missing. In case of faulty
 Question Booklet bring it to the notice of the Superintendent/Invigilators immediately to obtain a
 fresh Question Booklet.
- Do not bring any loose paper, written or blank, inside the Examination Hall except the Admit Card without its envelope.
- A separate Answer Sheet is given. It should not be folded or mutilated. A second Answer Sheet shall not be provided. Only the Answer Sheet will be evaluated.
- 4. Write your Roll Number and Serial Number of the Answer Sheet by pen in the space provided above.
- 5. On the front page of the Answer Sheet, write by pen your Roll Number in the space provided at the top, and by darkening the circles at the bottom. Also, wherever applicable, write the Question Booklet Number and the Set Number in appropriate places.
- No overwriting is allowed in the entries of Roll No., Question Booklet No. and Set No. (if any) on OMR sheet and also Roll No. and OMR Sheet No. on the Question Booklet.
- 7. Any change in the aforesaid entries is to be verified by the invigilator, otherwise it will be taken as unfair means.
- 8. Each question in this Booklet is followed by four alternative answers. For each question, you are to record the correct option on the Answer Sheet by darkening the appropriate circle in the corresponding row of the Answer Sheet, by ball-point pen as mentioned in the guidelines given on the first page of the Answer Sheet.
- For each question, darken only one circle on the Answer Sheet. If you darken more than one circle or darken a circle partially, the answer will be treated as incorrect.
- 10. Note that the answer once filled in ink cannot be changed. If you do not wish to attempt a question, leave all the circles in the corresponding row blank (such question will be awarded zero mark).
- For rough work, use the inner back page of the title cover and the blank page at the end of this Booklet.
- 12. Deposit only the OMR Answer Sheet at the end of the Test.
- 13. You are not permitted to leave the Examination Hall until the end of the Test.
- 14. If a candidate attempts to use any form of unfair means, he/she shall be liable to such punishment as the University may determine and impose on him/her.

| उपर्युक्त निर्देश हिन्दी में अन्तिम आवरण-पृष्ठ पर दिये गए हैं।

[No. of Printed Pages: 24+2

No. of Questions : 120

Time: 2 Hours Full Marks: 360

- Note: (1) Attempt as many questions as you can. Each question carries 3 marks.

 One mark will be deducted for each incorrect answer. Zero mark will be awarded for each unattempted question.
 - (2) If more than one alternative answers seem to be approximate to the correct answer, choose the closest one.
 - 1. If a cache requires one clock cycle and handling cache misses stalls the processor for an additional five cycles, which one of the following cache hit rates comes closest in achieving an average memory access of two clock cycles?
 - (1) 75% (2) 78% (3) 80% (4) 82%
 - Consider a system with 75% hit ratio, 100 nanoseconds time to search the associative registers (which contains the page number), 800 nanoseconds time to access memory. Find the effective memory access time
 - (1) 950 ns (2) 1050 ns (3) 1100 ns (4) 500 ns
 - 3. What is the hit-ratio of a cache if a system performs memory access at 30 nanoseconds with the cache and 150 nanoseconds without it? Assume the cache uses 20 nanoseconds memory. Choose the closest estimate

(1) 98% (2) 92% (3) 87% (4) 81%

(34) 1 (P.T.O.)

(1) 2^{16} , $2^{24} + 1$

 $(3) 2^{16}, 2^{24} - 1$

(34)

	(1) for unique r	epresentation			
	(2) avoid compa	ring sign bits of ex	ponent in floating p	oint arithmetic operat	ion
	(3) enhance the	e range of represe	ntation		
	(4) Both (1) and	d (2)	9		
6.	What is the represent?	naximum numbe	r a k-bit two's c	omplement number	can
	(1) 2 ^k	(2) 2 ^{k-1}	(3) 2 ^k -1	$(4) 2^{k-1} - 1$	
7.	What is the reproformat?	resentation of the	(decimal) number –	4 in 4 bit 2's complet	ment
	(1) 1111	(2) 1011	(3) 1100	(4) 0100	
8.	A computer's mare required for word?	nemory is compose r memory address	ed of 8K words of 32 if the smallest add	bits each. How many ressable memory uni	bits t is a
	(1) 13	(2) 8	(3) 10	(4) 6	

2

4. What is the maximum allowable size for memory and the largest unsigned

 $(2) 2^{16}, 2^{24}$

(4) $2^{16} - 1$, $2^{24} - 1$

binary number that can be accommodated in one word of memory?

5. Exponent in floating point number representation is biased to

9.	Consider the nur	mber (10 · 625) ₁₀ , ti	he binary equivaler	nt is
	(1) 1010	(2) 1010-10	(3) 1010-101	(4) 101·1010
10.	Dividing (111010	1) ₂ by (1001) ₂ will	l be	
	(1) 1100	(2) 1001	(3) 110	(4) None of these
11.	Code conversion	circuits mostly us	es	
	(1) AND-OR gate	8	(2) AND gates	
	(3) OR gates		(4) XOR gates	
12.		s complement represented in decimal		s the maximum integer
	(1) 1023	(2) 1024	(3) 512	(4) 511
13.	If (x436) ₈ + (5xy)	$7)_8 = (66xy)_8$, the	value of x, y are re	espectively
	(1) 2, 5	(2) 1, 5	(3) 4, 2	(4) 2, 4
14.	Given $\sqrt{(1201)_r} =$	(25),, the value of	f radix r is	
	(1) 5	(2) 6	(3) 10	(4) &
15.	The clock signals	are used in sequ	ential logic circuits	N .
	(1) to tell the tim	e of the day		
	(2) to tell how m	uch time has elap	sed since the syste	em was turned on
	(3) to carry seria	l data signals		
	(4) to synchroniz	e events in variou	s parts of system	
(34)		3		(PTO)

16.	Which one of the	following flip-flops	is f	ree from race a	erou.	nd problem?	
	(1) T flip-flop		(2)	SR flip-flop			
	(3) Master slave	J-K flip-flop	(4)	All of the above	ve		
17.	Which combination of gates does not know the implementation of an arbitrary Boolean function?						
	(1) OR gates and	AND gates					
	(2) OR gates and	exclusive -OR gate	e on	ly			
	(3) OR gates and	NOT gates only					
	(4) NAND gates of	nly					
18.	BCD coded numb	ers express each o	ligit	as			
	(I) 1 bit	(2) nibble	(3)	1 byte	(4)	None of these	
19.	When 2n-bit bina	ry numbers are ad	lded	the sum will o	onta	in at the most	
	(1) n bits	(2) $n+1$ bits	(3)	n+2 bits	(4)	n+3 bits	
20.	CPU register that	holds address of	the	next instruction	ı is		
	(1) stack pointer		(2)	program coun	ter		
	(3) accumulator		(4)	None of these			
21.	An n-bit gray cod	le can be obtained	by	reflecting an —		bit code.	
	(1) n	(2) $n+1$	(3)	<i>n</i> – 1	(4)	None of these	
(34)		4					

(P.T.O.)

22.	The number of te	rnary Boolean fur	ection is	88			
	(1) 8	(2) 81	(3) 256	(4) 729			
23.	When an odd nur	mber is converted	into the binary nu	mber the LSB is			
	(1) 0	(2) 1	(3) 0 or 1	(4) None of these			
24.	Magnitude compa	rator compares us	sing operation of				
	(1) addition	(2) subtraction	(3) division	(4) multiplication			
25.	<pre>What will be the output of the program? int main() { int i = 2; int j = i + (1, 2, 3, 4, 5); printf("%d\n", j); return 0; }</pre>						
	(1) 4	(2) 7	(3) 5	(4) 3			
26.	Which one of the expression?	following is the ($z = x + y * z$		aluation for the below			
	(1) */%+-=		(2) = */%+-				
	(3) /*%-+=		(4) *%/~+=				
(34)		5					

In 'C', the keyword function is	used to transfer	control from a fu	nction back to the calling				
(1) switch	(2) goto	(3) return	(4) void				
How will you free	the allocated mer	nory in 'C' lang	ıage?				
(1) remove (variab	ole_name);	(2) free(variable	e_name);				
(3) delete(variable	_name);	(4) dalloc(varia	able_name);				
Which one of the function in 'C'?	following statem	ents is correct	prototype of the malloc()				
(1) int* malloc(int);							
(2) char* malloc(char);							
(3) unsigned int* malloc(unsigned int);							
(4) void* malloc(size_t);							
What is the name	e of the method u	sed to start a ti	nread execution?				
(1) init();	(2) start();	(3) thread();	(4) run();				
What is the proto	otype of the defau	lt constructor?					
	public clas	ss Test { }					
(1) test()		(2) test(void)					
(3) public Test()		(4) public Tes	st(void)				
	function is (1) switch How will you free (1) remove (variate (3) delete(variable) Which one of the function in 'C'? (1) int* malloc(int) (2) char* malloc(c) (3) unsigned int* (4) void* malloc(s) What is the name (1) init(); What is the protection (1) test()	function is (1) switch (2) goto How will you free the allocated mer (1) remove (variable_name); (3) delete(variable_name); Which one of the following statem function in 'C'? (1) int* malloc(int); (2) char* malloc(char); (3) unsigned int* malloc(unsigned int); (4) void* malloc(size_t); What is the name of the method und); (1) init(); (2) start(); What is the prototype of the defause public classes.	(1) switch (2) goto (3) return How will you free the allocated memory in 'C' language (1) remove (variable_name); (2) free(variable_name); (3) delete(variable_name); (4) dalloc(variable_name); (4) dalloc(variable_name); (5) dalloc(variable_name); (6) int* malloc(int); (7) (1) int* malloc(int); (2) char* malloc(char); (3) unsigned int* malloc(unsigned int); (4) void* malloc(size_t); (5) what is the name of the method used to start a the (1) init(1); (2) start(1); (3) thread(1); (4) test(1) test(1) test(1) test(1) (2) test(void)				

(P.T.O.)

32.	Which one of the following is not t	he member of class?
	(1) Static function	(2) Friend function
	(3) Const function	(4) Virtual function
33.	In order traversal of binary search	tree will produce
	(1) unsorted list	(2) reverse of input
	(3) sorted list	(4) None of the abovε
34.	Size of a union is determined by si	ze of the
	(1) first member in the union	(2) last member in the union
	(3) biggest member in the union	(4) sum of the sizes of all members
35.	<pre>Comment on the output of this 'C' #include<stdio.h> int main() { float f1=0.1; if (f1==0.1) printf("Equal\n"); else printf("Not equal\n"); }</stdio.h></pre>	code?
	(1) Equat	(2) Not equal
	(3) Output depends on compiler	(4) None of an mentioned
(34)	7	

36. What is the purpose of the function?

int ferror(FILE *fp)

- (1) They check for input errors
- (2) They check for output errors
- (3) They check for all types of errors
- (4) They check for error in accessing the file
- 37. What allows the programmer to destroy an object x?
 - (1) x.delete()
 - (2) x.finalize()
 - (3) Runtime.getRuntime().gc()
 - (4) Only the garbage collection system can destroy an object
- 38. enum types are processed by
 - (1) Compiler (2) Preprocessor (3) Linker (4) Assembler
- 39. Which one of the following is false?
 - (1) Constant variables need not be defined as they are declared and can be defined late
 - (2) Global constant variables are initialized to zero
 - (3) Const keyword is used to define constant values
 - (4) You cannot reassign a value to a constant variable

40.	How many numl declaration?	ber of pointer ((*) does 'C' have	against a pointer variable				
	(1) 7	(2) 127	(3) 255	(4) No limits				
41.	How many permu	utations of the	etters ABCDEFGH	contain the string ABC?				
	(1) 120	(2) 720	(3) 56	(4) 216				
42.	What is the coeff	icient of $x^{12}y^{13}$	in the expansion	of (x+y) ²⁵ ?				
	(1) 3900	(2) 5200300	(3) 325	(4) 20756736				
43.	Let .							
	m = "Juan is a math major," c = "Juan is a computer science major," g = "Juan's girlfriend is a literature major," h = "Juan's girlfriend has read Hamlet," and t = "Juan's girlfriend has read The Tempest." Which one of the following expresses the statement "Juan is a computer							
	science major and hasn't read both	a math major, i	out his girlfriend is	a literature major who				
	(1) $c \wedge m \wedge (g \vee (\sim$	$h \vee -t))$	(2) c∧m∧g∧	(2) $c \wedge m \wedge g \wedge (\sim h \wedge \neg t)$				
	(3) $c \wedge m \wedge g \wedge (\sim)$	ı∨ ~t)	(4) $c \wedge m \wedge (g)$	∨ (~h∧~t))				
44.	The Boolean function	ction [~(~p^	q) ^ ~ (~ p^ ~ q)]v	$(p \wedge r)$ is equal to the				
	(1) q	(2) PAF	(3) p v q	(4) p				
(34)			9	(P.T.O.)				

	(1) 8	(2) 6	(3) 7	(4) 9
16 .	The relation {(1, 2	2), (1, 3), (3, 1), (1, 1)	, (3, 3), (3, 2), {1, 4),	(4, 2), (3, 4)} is
	(1) reflexive	(2) transitive	(3) symmetric	(4) asymmetric
47.		s can be formed o and ending with I		f the word PECULIAR
	(1) 100	(2) 120	(3) 720	(4) 150
48.	Which one of the	following pairs is	not congruent mod	tulo 7?
	(1) 10, 24	(2) 25, 56	(3) -31,11	(4) -64, 15
49.	$[\sim q \land (p \rightarrow q)] \rightarrow$	~ p is		
	(1) satisfiability		(2) unsatisfiabilit	у
	(3) tautology	28	(4) invalid	
50.	$f(x) = \cos x$ and	$g(x) = x^3$, then $(f$	(og)(x) is	
	$(1) (\cos x)^3$	(2) $\cos 3x$	$(3) x^{(\cos x)3}$	$(4) \cos x^3$
51.	The minimum nu 52 cards to guar	amber of cards to b rantee that three c	e dealt from an art ards are from some	oitrarily shuffled deck of e same suit is
	(1) 8	(2) 3	(3) 9	(4) 12
24)			10	
(34)				

45. What is the Cardinality of the Power set of the set $\{0, 1, 2\}$?

52.	the complement	of the set A is					
	(1) $A-B$	(2) $U-A$	(3) A-U	(4) $B - A$			
53.	A partial ordered	relation is transiti	ve, reflexive a	nd			
	(1) antisymmetric	:	(2) bisymme	tric			
	(3) antireflexive	l×	(4) asymmet	ric			
54.	The number of dis	stinguishable perm	utations of the	letters in the word BANAN	IA		
	(1) 60	(2) 36	(3) 20	(4) 10			
55.	Which one of the strings not contain	following regular ex ining 100 as sub s	cpressions over string?	r {1,0} denotes the set of a	all		
	(1) 0*(1*0)*	(2) 0*1010*	(3) 0*1*01*	(4) 0*(10+1)*			
56.	Which one of the	following proposit	ions is a tauto	ology?			
	$(1) \ (p \lor q) \to p$	(2) $p \vee (q \rightarrow p)$	(3) $p \vee (p \rightarrow$	$q) (4) p \to (p \to q)$			
57.	What are the time complexities of finding 10th element from beginning and 10th element from end in a singly linked list? Let n be the number of nodes in linked list, you may assume that n > 10.						
	(1) O(1) and O(n)	(2) O(1) and	0(1)			
	(3) $O(n)$ and $O(1)$		(4) O(n) and	O(n)			
(34)		11					
				PTO	1)		

		8							
58.	Is it	possible to cree?	eate a d	oubly link	ed list usi	ng only o	ne pointe	r with e	very
	(1)	Not possible							
	(2)	Yes, possible b	y storin	g XOR of	addresses	of previo	us and ne	xt node	s
	(3)	Yes, possible b	y storin	g XOR of	current no	nde and n	ext node		
	(4)	Yes, possible b	y storin	g XOR of	current no	ode and p	revious n	ode	
59 .	Whi	ich one of the	following	g is an ap	plication o	of Stack D	ata Struc	tur e ?	
	(1)	Managing func	tion cal	Ĭ					
	(2)	The stock spar	proble	m ·					
	(3)	Arithmetic exp	ression	evaluation					
	(4)	All of the abov	e						
60.	How many stacks are needed to implement a queue? Consider the situation where no other data structure like arrays, linked list is available								
	(1)	1	(2) 2		(3) 3		(4) 4		
61.	How	v many distinct	binary s	earch tree	s can be cr	eated out	of 4 distin	ct keys?	?
	(1)	5	(2) 14		(3) 24		(4) 42		
62.	A bi	inary search tre	e is gene	erated by in	nserting in	order the	following	integers	1;
•					91, 3, 8, 3				
		number of n	odes in	the left	subtree a	and right	subtree	of the	roo
	(1)	(8, 3)	(2) (3, 8	3)	(3) (7,4)	į	(4) (4,7)		
(34)				12	2				
11									

			2			
63.	The following given order:	numbers are inse	erted into an empty	binary search tree i	n the	
		10, 1, 3	3, 5, 15, 12, 16			
	What is the lidistance of a	height of the bind leaf node from the	ary search tree (the root)?	e height is the maxi	mum	
	(1) 2	(2) 3	(3) 4	(4) 6		
64.	Which one of a traversals (a)	Which one of the following traversals is sufficient to construct BST from given traversals (a) inorder, (b) preorder and (c) postorder?				
			traversals is sufficie			
	(2) (b) and (c)					
	(3) (a) and (c)					
		or (c) is sufficient				
65. Which one of the following operations is not O(1) for an array of sor You may assume that array elements are distinct				r an array of sorted d	ata?	
		h largest element		th smallest element		
	(3) Delete an e		(4) All of the			
66.	What is the tir	ne complexity of i	fun(.)?			
	int fun (in					
	for (in for(unt = 0; t i = 0; i < n; i + +) int j = i; j > 0; j count = count -	-) -1·	×		
4 \	(1) θ(n)	(2) $\theta(n^2)$	(3) $\theta(n \log n)$	(4) $\theta(n^3)$		
			- 1 K	(7)		

13

(34)

(34)

						St.
67.	Which one of the f	ollowing is not O	(n^2	:)?		
	(1) $(15^{10})n + 12099$			n ^{1.98}		
	(3) n ³ / sqrt(n)		(4)	$N(\log N)^2$		
68.	What is the worst of	case time complex I is calculated usi	ing t	inary search		
		(2) N log N	(3)	N ²	(4) (2 ²⁰	')*n
69.	Which sorting algoridentical? Consider	rithm will take leas typical implemen	ntatio	ous or sorming	aigorium	110
	(1) Insertion sort	(2) Heap sort	(3)	Merge sort	(4) Sel-	ection sort
70.		llowing is correct r	recur	rence for worst	case of	binary search?
	(1) $T(n) = 2T(n/2)$					
	(2) $T(n) = T(n-1)$					
	(3) $T(n) = T(n/2)$					
	(4) $T(n) = T(n-2)$					
71.	Predict output of					
	# include < st int fun (int n)	:dio.h >			W.S	
	if (n = =	4)				
		return n;				
	else retu	rn 2*fun (n+1);				
	int main()					3 7
÷	f	od",fun(2)););				
	}		to	3) 16	(4) 3	2
	(1) 4	(2) 8	,,	,	8 8	4

14

	io evaluate an	expression witho	ut any embedded	function calls	
	(1) one stack is	enough			
	(2) two stacks	are needed			
	(3) as many stacks as the height of the expression tree are needed				
7.3%	(4) a Turing machine is needed in the general case				
73.	Where was the	first computer in	stalled in India?	23	
	(1) Indian Statis	stical Institute, K	olkata		
9	(2) Indian Instit	ute of Statistics,	Delhi		
	(3) Indian Instit	ute of Science, B	lengaluru		
	(4) Indian Instit	ute of Manageme	nt, Ahmedabad		
74.	The browser's — keeps a list of web pages you have visited during the current session.				
*	(1) favorites	(2) cache	(3) history	(4) All of these	
75.	Which one of the sensitive information	following should	not be used while s	énding passwords or other	
	(1) GET	(2) POST	(3) REQUEST	(4) NEXT	
76.	What is the frequency range of the IEEE 802.11 a standard?				
	(1) 2.4 Gbps	(2) 5 Gbps	(3) 2.4 GHz	(4) 5 GHz	
(34)			15 _	(P.T.O.)	

77.	Which one of the following might be used to convert high-level language instructions into machine language?			
	(1) System Software	(2) Applications Software		
	(3) An Operating Environment	(4) An Interpreter		
78.	78. Each of data files has a ——— that describe the way the data is stored file.			
	(1) File structure	(2) Records		
	(3) Fields	(4) Database		
79.	Which one of the following language	es is more suited to a structured program?		
	(1) PROLOG (2) FORTRAN	(3) BASIC (4) PASCAL		
80.	Which one of the following compute	er languages is used for artificial intelligence?		
	(1) PROLOG (2) FORTRAN	(3) BASIC (4) PASCAL		
81.	Which one of the following is the	fastest?		
	(1) CPU	(2) Magnetic tapes		
	(3) Registers	(4) Disks		
82.	Which one of the following printers can be classified as a page-at-a-tin printer?			
	(1) Laser printer	(2) Dot-matrix printer		
	(3) Thermal printer	(4) Inkjet printer		
(34)		16		
(/				

83.	RS-232 is a standard that applies to			
	(1) serial ports (2) parallel ports	(3) networks	(4) game ports	
84.	CAD/CAM is the inter-relationship b	petween		
9	(1) manufacturing and marketing	(2) marketing and	l design	
	(3) engineering and marketing	(4) engineering ar	nd manufacturing	
85.	The method in which records are according to a key field in each reco	physically stored ord is	in a specified order	
	(1) hash (2) direct	(3) sequential	(4) All of the above	
86.	Related fields in a database are grou	iped to form a		
	(1) Data File (2) Data Record	(3) Menu	(4) Benk	
87.	The Management Information System system is called as	(MIS) structure wi	th one main computer	
	(1) hierarchical (2) distributed	(3) centralized	(4) decentralized	
88.	Choose the RDBMS which support development	s full fledged clie	nt server application	
	(1) dBase V (2) Oracle 7.1	(3) FoxPro 2.1	(4) Ingress	
89.	Reflexivity property seve that X-Y is	s true if Y is		
	(1) subset of X	(2) null set of x	×	
	07200	(4) subset of Y		
(34)	17			
			(P.T.O.)	

90.	SET concept is used in	
	(1) Network Model	(2) Hierarchical Model
	(3) Relational Model	(4) All of the above
91.	An entity set that does not have suffic	ient attributes to form a primary key is a
	(1) strong entity set	(2) weak entity set
	(3) simple entity set	(4) primary entity set
92.	The language used in application pro- referred to as the	ograms to request data from the DBMS is
	(1) DML (2) DDL	(3) VDL (4) SDL
93.	- clause is an additional filter	r that is applied to the result.
	(1) Select (2) Group by	(3) Having (4) Order by
94.	In case of entity integrity, the prima	ry key may be
	(1) not null	(2) null
	(3) any value	(4) both null and not null
95.	Database locking concept is used to	solve the problem of
	(1) lost update	(2) uncommitted dependency
	(3) inconsistent data	(A) All of the above

96,	The main task carried out in the ——— is to remove repeating attributes to separate tables.			
	(1) first normal form (2) second normal form			
	(3) third normal form (4) fourth normal form			
97.	To avoid the race condition, the number of processes that may be simultaneously inside their critical section is			
	(1) 8 (2) 1 (3) 16 (4) 0			
98.	A system program that combines the separately compiled modules of a program into a form suitable for execution			
	(1) assembler (2) linking loader			
	(3) cross compiler (4) load and go			
99.	Which of the following statements is false?			
	(1) The technique of storage compaction involves moving all occupied areas of storage to one end or other of main storage			
	(2) Compaction does not involve relocation of programs			
	(3) Compaction is also known as garbage collection			
٠	(4) The system must stop everything while it performs the compaction			
100.	Which one of the following functions is (are) performed by the loader?			
	(1) Allocate space in memory for the programs and resolve symbolic references between object decks			
	(2) Adjust all address dependent locations, such as address constants, to correspond to the allocated space			
	(3) Physically place the machine instructions and data into memory			
	(4) All of the above			
(34)	19			
	(P.T.O.)			

101.	A page fault occurs				
	(1) when the page is not in the memory				
	(2) when the page is in the memory				
	(3) when the process enters the blocked state				
	(4) when the process is in the ready state				
102.	Routine is not loaded until it is called. All routines are kept on disk in a relocatable load format. The main program is loaded into memory and is executed. This type of loading is called				
	(1) static loading (2) dynamic loading				
	(3) dynamic linking (4) overlays				
103.	Virtual memory is (1) an extremely large main memory				
	(2) an extremely large secondary memory				
	(3) an illusion of extremely large main memory				
	(4) a type of memory used in supercomputers				
104.	Which is not the state of the process?				
	(1) Blocked (2) Running (3) Ready (4) Privileged				
(34)	20				

105.	In priority scheduling algorithm, when a process arrives at the ready queue, its priority is compared with the priority of					
	(1) all process (2) currently running process					
	(3) parent process	(4) init proc				
106.	Page stealing					
	(1) is a sign of efficient sys	item				
	(2) is taking page frames fr	(2) is taking page frames from other working sets				
	(3) should be the tuning go	al				
	(4) is taking larger disk spe	(4) is taking larger disk spaces for pages paged out				
107. Optimal page-replacement algorithm is difficult to implement				se:		
	(1) it requires a lot of inform		S 8509 5333			
	(2) it requires future knowledge of the reference string					
	(3) it is too complex					
	(4) it is extremely expensive	n.i.				
108.	8. An operating system contains 3 user processes, each requiring 2 units resource R. The minimum number of units of R such that no deadlocks will evaluate is					
	(1) 4 (2) 3	(3) 5	(4) 6			
(34)		21				
		<u> </u>		(P.T.O.)		

109.	How long is an IPv6 ad	ldress?		
	(1) 32 bits (2) 1	28 bytes	(3) 32 bytes	(4) 128 bits
110.	WPA2 is used for secur	rity in		
	(1) ethernet (2) h	oluetooth	(3) wi-fi	(4) All of the above
111.	routing protocols?			
	on periodic tir	ne intervals.	e routing table out a	
	(b) Distance-vector interfaces on	or sends its coperiodic time	omplete routing ta intervals.	able out all active
	(c) Link-state sen routers in the	ds updates cor	ntaining the state of	f its own links to all
		or sends updat	es containing the s	tate of its own links
	(1) (a) only		(2) (c) only	
	(3) (b) and (c) only		(4) (a) and (d) on	aly
112.	IPSec is designed to p	rovide the sec	curity at the	
	(1) transport layer		(2) network layer	
	(3) application layer		(4) session layer	
113.	Which class of IP addr	ess has the mo	st host addresses a	vailable by default?
(5.7		B		(4) D
(34)		2	2	
11				

114.	What is the maximum number of IP addresses that can be assigned to hosts a local subnet that uses the 255.255.255.224 subnet mask?		
	(1) 14 (2) 15	(3) 32	(4) 30
115.	What is the 'subnetwork 172.16.66.0/21?	address of a host w	ith an IP address of
	(1) 172.16.36.0 (2) 172.1	16.48.0 (3) 172.16.64.0	(4) 172.16.0.0
116.	Which WAN encapsulations connection?	s can be configured on	an asynchronous serial
30	(a) PPP	· ·	
	(b) ATM		
	(c) HDLC		
	(d) SDLC	* **	e. v.
	2007A: 92000000000		
	(c) Frame Relay		
	(1) (a) and (b)	(2) (b) and (d)	
	(3) (c), (d) and (e)	(4) All of the ab	30000500
117.	In computer security, ———only be accessible for readir	means that the informations by authorized parities.	n in a computer system
81	(1) confidentiality	(2) integrity	
	(3) availability	(4) authenticity	
118. When a DNS server accepts and uses incorrect information from a host to no authority giving that information, then it is called			on from a host that has
	(1) DNS lookup	(2) DNS hijacking	
	(3) DNS spoofing	(4) DNS resolve	
(34)	* n	23	20
organizati.			(P.T.O.)

119.	The method of communication in which transmission takes place in both directions, but only one direction at a time is called				
	(1) simplex	(2) four-wire circuit			
	(3) half-duplex (4) full-duplex				
120.	Error detection at the data link level is achieved by				
	(1) hamming code	(2) cyclic redundancy code			
	(3) bit stuffing	(4) equalization			

अभ्यर्थियों के लिए निर्देश

(इस पुस्तिका के प्रथम आवरण-पृष्ट पर तथा उत्तर-पत्र के दोनों पृष्ठों पर केवल नीली या काली बाल-प्वाइंट पेन से ही लिखें)

- 1. प्रश्न पुस्तिका मिलने के 30 मिनट के अन्दर ही देख लें कि प्रश्नपत्र में सभी पृष्ठ मौजूद हैं और कोई प्रश्न छूटा नहीं है। पुस्तिका दोषयुक्त पाये जाने पर इसकी सूचना तत्काल कक्ष-निरीक्षक को देकर सम्पूर्ण प्रश्नपत्र की दूसरी पुस्तिका प्राप्त कर लें।
- 2. परीक्षा भवन में *लिफाफा रहित प्रवेश-पत्र के अतिरिक्त*, लिखा या सादा कोई भी खुला कागज साथ में न लायें।
- 3. उत्तर-पत्र अलग से दिया गया है। *इसे न तो मोड़ें और न ही विकृत करें। दूसरा उत्तर-पत्र नहीं दिया जायेगा, केवल उत्तर-*पत्र का *ही मृल्यांकन किया जायेगा।*
- अपना अनुक्रमांक तथा उत्तर-पत्र का क्रमांक प्रथम आवरण-पृष्ठ पर ऐन से निर्धारित स्थान पर लिखें।
- 5. उत्तर-पत्र के प्रथम पृष्ठ पर पेन से अपना अनुक्रमांक निर्धारित स्थान पर लिखें तथा नीचे दिये वृत्तों को गाढ़ा कर दें। जहाँ-जहाँ आवश्यक हो वहाँ प्रश्न-पुस्तिका का क्रमांक तथा सेट का नम्बर उचित स्थानों पर लिखें।
- 6. ओ० एम० आर० पत्र पर अनुक्रमांक संख्या, प्रश्न-पुस्तिका संख्या व सेट संख्या (यदि कोई हो) तथा प्रश्न-पुस्तिका पर अनुक्रमांक सं० और ओ० एम० आर० पत्र सं० की प्रविष्टियों में उपरिलेखन की अनुमित नहीं है।
- 7. उपर्युक्त प्रविष्टियों में कोई भी परिवर्तन कक्ष निरीक्षक द्वारा प्रमाणित होना चाहिये अन्यथा यह एक अनुचित साधन का प्रयोग माना जायेगा।
- 8. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार बैकल्पिक उत्तर दिये भये हैं। प्रत्येक प्रश्न के वैकल्पिक उत्तर के लिये आपको उत्तर-पत्र की सम्बन्धित पंक्ति के सामने दिये गये वृत्त को उत्तर-पत्र के प्रथम पृष्ठ पर दिये गये निर्देशों के अनुसार पेन से गाढ़ा करना है।
- 9. प्रत्येक प्रश्न के उत्तर के लिये केवल एक ही वृत्त को गाढ़ा करें। एक से अधिक वृत्तों को गाड़ा करने पर अथवा एक वृत्त को अपूर्ण भरने पर वह उत्तर गलत माना जायेगा।
- 10. ध्यान दें कि एक बार स्याही द्वारा अंकित उत्तर बदला नहीं जा सकता है। यदि अप किसी प्रश्न का उत्तर नहीं देना चाहते हैं तो सम्बन्धित पंक्ति के सामने दिये गये सभी वृत्तों की खाली छोड़ दें। ऐसे प्रश्नों पर शून्य अंक दिये जायेंगे।
- 11. रफ़ कार्य के लिये प्रश्न-पुस्तिका के मुखपृष्ठ के अन्दर बाले पृष्ठ तथा अंतिम पृष्ठ का प्रयोग करें।
- 12. परीक्षा के उपरान्त केवल *ओ०एम०आर० उत्तर-पत्र* परीक्षा भवन में जमा कर दें।
- 13. परीक्षा समाप्त होने से पहले परीक्षा भवन से बाहर जाने की अनुमति नहीं होगी।
- 14. यदि कोई अध्यर्थी परीक्षा में अनुचित साधनों का प्रयोग करता है, तो वह विश्वविद्यालय द्वारा निर्धारित दंड का/की, भागी होगा/होगी।